

BALDOR® • ***RELIANCE***

Product Information Packet


FDL3514TM

1.5HP, 1725RPM, 1PH, 60HZ, 145T, 3532LC, TEFC

Part Detail							
Revision:	F	Status:	PRD/A	Change #:		Proprietary:	No
Type:	AC	Prod. Type:	3532LC	Elec. Spec:	35WGN451	CD Diagram:	CD0320
Enclosure:	TEFC	Mfg Plant:		Mech. Spec:	35E2351	Layout:	35LYE2351
Frame:	145T	Mounting:	F1	Poles:	04	Created Date:	12-17-2013
Base:	RG	Rotation:	R	Insulation:	F	Eff. Date:	01-24-2017
Leads:	4#16 A&J,2#18 B PH,1#14 #4TH					Replaced By:	
Literature:		Elec. Diagram:					

Nameplate NP1280L										
CAT.NO.	FDL3514TM									
SPEC.	35E2351N451G1									
HP	1.5									
VOLTS	115/208-230									
AMP	12.4/6.8-6.2									
RPM	1725									
FRAME	145T			HZ	60			PH	1	
SER.F.	1.00			CODE	J		DES	L	CL	F
NEMA-NOM-EFF	80			PF	96					
RATING	40C AMB-CONT									
CC							USABLE AT 208V			
DE	6205			ODE	6203					
ENCL	TEFC			SN						

No performance data has been
assigned to this product.



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: ADD FLAT SLINGER TO ODE		
REV. LTR: A	VERSION: 01	TDR: 000000909271
FILE: \AAA\00205\612	REVISED: 03:57:48 04/07/2015	BY: ENKANVO
MTL: -	⊙ ⊚	


BALDOR

HOR 143-5T TEFC LC,1" MTO KOBX,FARM DUTY,1.09 LH,SEAL PU END

SH 1 of 1

35LYE2351

CD0320



CD0320

REV. DESC: ADD INTERNAL CONNECTION TO HELP MANUFACTURING		
REV. LTR: G	VERSION: 01	TDR: 000000941594
FILE: \AAA\00007\422	REVISED: 02:21:00 08/28/2015	BY: ENALEMO
MTL: -	© □	

BALDOR

TYPE LC, DV, REV, THERMAL, B PH AMPS THRU HTR HVC, 7 LEAD

SH 1 of 1