Product specifications

Eaton TCF45

Catalog Number: TCF45

Eaton Bussmann series TCF fuse, 45 A, 60 Hz, 50 Hz, Dual, CF, Black, With Indicator, Blade end, Time delay|Class CF, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Glass filled PES, Chassis|35 mm DIN rail, 600 V, 300 Vdc

General specifications

Product Name
Eaton Bussmann series TCF fuse

Catalog Number
TCF45

UPC
051712615068

EAN
5027590184410

Product Length/Depth
2.13 in

Product Height
1.9 in

Product Width
1 in

Product Weight
.17 lb

Warranty
Not Applicable

Compliances
CE Marked RoHS Compliant

Certifications
UL Listed CSA Certified

Electrical rating

Amperage Rating

45 A

Frequency rating - max

60 Hz

Frequency rating - min

50 Hz

Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Color

Black

Fuse type

Class CF

Time delay

Material

Glass filled PES

Number of elements

Dual

Packaging type

Standard

General information

Class

Class CF

Connection

Blade end

Fuse indicator

With Indicator

Mounting method

Chassis

35 mm DIN rail

Special features

Finger safe

Used with

TCFH60N, CCP2-3-60CF

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

The Power of Space

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - TCF45

Technical data sheets

TCF45~CUBEFUSE, TCF 45A IND

Technical service bulletins

Datasheet - FNQ-30

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia