

RACK-MOUNT SLIDING SHELF


The Rack-Mount Sliding Shelf allows easy access to shelf-mounted devices. Shelf is 16-gauge steel with 12-gauge steel supports.
8 LIIRXMVI EWWIQFP] MW 1/4 RMWLIH [MXL 6 % 0 polyester powder paint. The shelf mounts to the front surface of front and back rack angles.

;LIR QSYRXIH HMVIGXP] XS E JVEQI JSYV VEGO ERKPI QSYRXMRKW ERH ΡF mounting.

Rack accessories that are shorter than the enclosure depth can be mounted to rack angles or frame accessory brackets attached to grid straps. Order these items separately.

Note: only mount shelves in applications with four points of attachment.

BULLETIN: P20



	D Max	L	J	Shelf Pullout		
Catalog Number	in./mm	in./mm	in./mm	in./mm	Fits Rack Width	Rack Units
P19SHP68	37.40 950	16.72 425	16.20 412	17.00 432	19 in.	2
P19SHP810	41.30 1050	24.59 625	16.20 412	17.00 432	23 in.	2

TOOL-LESS SHELF

Catalog Number	Description	Finish	Minimum Depth mm/in.	Maximum Depth mm/in.	Rack Angle Type
D19FVT69G	Shelf, vented, 19 in. tool-less	Gray	495 19.50	851 33.50	Square hole only
D19FVT912G	Shelf, vented, 19 in. tool-less	Gray	792 31.20	1151 45 30	Square hole only

Minimum and maximum depth measured from rack angle to rack angle.

