

MINI MAGLITE® AA FLASHLIGHTS, CONTINUED

HOLSTER COMBO PACK includes: a MINI MAGLITE® AA flashlight, polypropylene belt holster and two Alkaline AA Energizer® batteries (Hang Pack only).



MODEL	COLOR	DESCRIPTION	CASE PACK	MASTER PACK	WAREHOUSE DISTRIBUTOR	UPC CODE	CAT. PAGE
M2A01H	BLACK	HOLSTER COMBO PACK	12	72	8.41	06052 1	9
M2A02H	CAMO		12	120	9.07	06060 6	9
M2A03H	RED		12	120	8.41	06053 8	9
M2A09H	GRAY PEWTER		12	120	8.41	06516 8	9
M2A10H	SILVER		12	120	8.41	06157 3	9
M2A11H	BLUE		12	120	8.41	06055 2	9
M2A39H	DARK GREEN		12	120	8.41	06147 4	9
M2A98H	PURPLE		12	120	8.41	06361 4	9
M2AAEH	FLAG-LITE®		12	120	12.55	06186 3	9

SPECIAL COMBINATIONS

CLASSIC COMBINATIONS includes: flashlight (black only), VICTORINOX® Classic Swiss Army Knife (black only) and Alkaline AA or AAA Energizer® batteries. (Presentation Box only.)



MODEL	COLOR	DESCRIPTION	CASE PACK	MASTER PACK	WAREHOUSE DISTRIBUTOR	UPC CODE	CAT. PAGE
K3A492	BLACK	MAG-LITE® SOLITAIRE® CLASSIC KNIFE	12	72	13.87		14
M3A49L	BLACK	MINI MAGLITE® AAA CLASSIC KNIFE	12	72	15.62		15
M2A49L	BLACK	MINI MAGLITE® AA CLASSIC KNIFE	12	72	16.73		15

MAG-LITE® FLASHLIGHTS

D CELL FLASHLIGHTS—each flashlight is equipped with two White Star® Krypton gas lamps.

HANG PACK

MODEL	COLOR	DESCRIPTION	CASE PACK	MASTER PACK	WAREHOUSE DISTRIBUTOR	UPC CODE	CAT. PAGE
S2D016	BLACK	2 CELL D MAG-LITE® FLASHLIGHT	12	60	13.23	01185 1	6
S2D036	RED		12	60	13.23	01230 8	6
S2D096	GRAY PEWTER		12	60	13.23	01038 0	6
S2D106	SILVER		12	60	13.23	02610 7	6
S2D116	BLUE		12	60	13.23	01917 8	6
S2D396	DARK GREEN		12	60	13.23	02382 3	6
S2D986	PURPLE		12	60	13.23	02575 9	6
S3D016	BLACK	3 CELL D MAG-LITE® FLASHLIGHT	12	60	13.69	01186 8	6
S3D026	CAMO		12	60	14.88	02633 6	6
S3D036	RED		12	60	13.69	01217 9	6
S3D096	GRAY PEWTER		12	60	13.69	02965 8	6
S3D106	SILVER		12	60	13.69	01778 5	6
S3D116	BLUE		12	60	13.69	01830 0	6
S3D396	DARK GREEN		12	60	13.69	01572 9	6
S3D986	PURPLE		12	60	13.69	02619 0	6
S4D016	BLACK	4 CELL D MAG-LITE® FLASHLIGHT	12	48	14.15	01187 5	6
S4D036	RED		12	48	14.15	01239 1	6
S4D116	BLUE		12	48	14.15	01919 2	6
S5D016	BLACK	5 CELL D MAG-LITE® FLASHLIGHT	12	48	14.93	01188 2	6
S5D036	RED		12	48	14.93	01218 6	6
S6D016	BLACK	6 CELL D MAG-LITE® FLASHLIGHT	12	48	16.35	01189 9	6
S6D036	RED		12	48	16.35	01234 6	6

DISPLAY BOX

MODEL	COLOR	DESCRIPTION	CASE PACK	MASTER PACK	WAREHOUSE DISTRIBUTOR	UPC CODE	CAT. PAGE
S2D015	BLACK	2 CELL D MAG-LITE® FLASHLIGHT	12	72	13.23	01259 9	6
S2D035	RED		12	72	13.23	01271 1	6
S2D115	BLUE		12	72	13.23	01838 6	6
S2D395	DARK GREEN		12	72	13.23	02409 7	6
S2D985	PURPLE		12	72	13.23	02613 8	6
S3D015	BLACK	3 CELL D MAG-LITE® FLASHLIGHT	12	72	13.69	01263 6	6
S3D035	RED		12	72	13.69	01275 9	6
S3D095	GRAY PEWTER		12	72	13.69	02964 1	6
S3D105	SILVER		12	72	13.69	01781 5	6
S3D115	BLUE		12	72	13.69	01839 3	6
S3D395	DARK GREEN		12	72	13.69	01772 3	6
S3D985	PURPLE		12	72	13.69	02625 1	6
S4D015	BLACK	4 CELL D MAG-LITE® FLASHLIGHT	12	72	14.15	01267 4	6
S4D035	RED		12	72	14.15	01279 7	6
S4D115	BLUE		12	72	14.15	01993 2	6

The Mag-Lite® Family Of Quality Lighting Products

From Top To Bottom:

Mag-Lite® Rechargeable
Flashlight,

Mag-Lite® 2-Cell D Flashlight,

Mag-Lite® 2-Cell C Flashlight,

Mini Maglite® 2-Cell AA
Flashlight,

Mini Maglite® 2-Cell AAA
Flashlight,

Mag-Lite® Solitaire®
Single Cell AAA Flashlight





FLASHLIGHT FEATURES:

- Water and shock resistant
- Chosen by professionals worldwide
- High-grade rubber seals in every size flashlight
- Precision machined high-strength aluminum alloy cases
- Design balanced optics and power for improved performance
- Self-cleaning rotary switch, 3 position, On, Off, and Signal.
(Manual, Momentary On-Off)
(Mag-Lite® C and D cell and Mag-Lite® Rechargeable flashlights)
- Spare lamp safely secured inside the tail cap (except rechargeable)
- High intensity adjustable spot-to-flood beam, with a twist of the wrist
- Mini Maglite® flashlights convert quickly to a free standing candle mode
- Anodized inside and out for improved corrosion resistance and durability
- Protected by a Limited Lifetime Warranty. See product packaging for details
- Designed, Patented, and Manufactured with pride and craftsmanship in the U.S.A.
- Mag-Lite® C and D cell and Rechargeable flashlights are individually serial numbered

Call: (909) 947-1006, email: salesdesk@magmail.com or visit our website: www.maglite.com

D-Cell Mag-Lite® Flashlight

Every Mag-Lite® flashlight embodies a precise balance of refined optics, efficient power, durability and quality. Each Mag-Lite® D-Cell flashlight includes two high intensity White Star® Krypton Gas Lamps for enhanced brilliance and extended range.

FEATURES:

- High-intensity light beam
- 1/2 turn, cam action focus, spot-to-flood
- Self-cleaning rotary switch, 3 position, On, Off, and Signal (Manual, Momentary On-Off)
- Spare lamp safely secured in the tailcap (see fig. A on page 8)
- High-strength aluminum alloy cases
- O-ring sealed for water resistance
- Limited Lifetime Warranty
- Individually serial numbered
- Made in USA

Mag-Lite® D-Cell flashlights are also offered in a variety of colors (refer to color guide below).

COLOR GUIDE:

Black - 2, 3, 4, 5, & 6 D-Cell

Red - 2, 3, 4, 5, & 6 D-Cell

Silver - 2 & 3 D-Cell

Blue - 2, 3, & 4 D-Cell


Gray - 2 & 3 D-Cell

Purple - 2 & 3 D-Cell

Camo - 3 D-Cell Only



6-cell D Mag-Lite® flashlight



5-cell D Mag-Lite® flashlight



4-cell D Mag-Lite® flashlight



3-cell D Mag-Lite® flashlight



2-cell D Mag-Lite® flashlight



2-Cell D Mag-Lite® Hang Pack



3-Cell D/2-Cell AA Mag-Lite® Lite Pack

Mag-Lite® D-Cell Flashlight

	20	30	40	50	60
Overall Length:	10 in. 254 mm	12-11/32 in. 313 mm	14-23/32 in. 374 mm	17-1/8 in. 434 mm	19-1/2 in. 495 mm
Barrel Diameter:	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm	1-9/16 in. 39.67 mm
Head Diameter:	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm	2-1/4 in. 57.00 mm
Weight without battery:	14.20 oz. 402.95 g	15.70 oz. 445.05 g	17.50 oz. 496.12 g	19.30 oz. 547.15 g	21.10 oz. 598.18 g
Weight with battery:	23.00 oz. 674.72 g	30.20 oz. 856.16 g	36.80 oz. 1043.26 g	43.50 oz. 1233.26 g	50.00 oz. 1417.48 g
Beam Candlepower @ 10 feet/3.0 meters*	11K Peak PBC	13K Peak PBC	15K Peak PBC	18K Peak PBC	20K Peak PBC
Battery Life Continuous on time**	14 hrs	14 hrs	15 hrs	15 hrs	16 hrs
Lamp Life:**	36 Hours	36 Hours	36 Hours	36 Hours	36 Hours
Battery voltage output:	3.0 volts	4.5 volts	6.0 volts	7.5 volts	9.0 volts
Batteries Required:	(2) D size alkaline	(3) D size alkaline	(4) D size alkaline	(5) D size alkaline	(6) D size alkaline

*Candlepower and battery on time may vary between lamps and batteries. (PBC) Peak Beam Candlepower. ** Lamp life may vary.