

Eaton L1520C

Catalog Number: L1520C

Eaton Arrow Hart ultra grip locking connector, #18-10 AWG, 20A, Industrial, 250V, Back wiring, Black, white, Ultra grip, L15-20, Three-pole, Four-wire, Nylon

General specifications

Product Name	Catalog Number
Eaton Arrow Hart standard locking connector	L1520C
	UPC
	032664392108
Product Length/Depth	Product Height
3.17 in	1.01 in
Product Width	Product Weight
1.67 in	.24 lb
Compliances	Certifications
RoHS Compliant	UL Listed NOM CSA certified cULus Listed



Product specifications

Special features

Watertight locking receptacle

Color

Black

White

Face/body material

Thermoplastic

Wiring method

Back

Material

Thermoplastic

Allowable wire size

#16-12 AWG

Amperage Rating

20 A

Number Of Poles

Three-pole

Contact material

Brass

Type

Locking connector

Device grade

Commercial

NEMA configuration

L15-20

Design type

Standard locking connector

Number of wires

4

Grounding

Operating temperature

-20 to 60 °C (-4 to 140 °F)

Voltage rating

3Ø 250 V

Cord diameter

0.25-0.69 in (6.4 mm-17.5 mm)

Resources

Brochures

[Wiring Devices Buyer's Guide](#)

Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

Specifications and datasheets

[Eaton Specification Sheet - L1520C](#)

Application

Industrial

Torque rating

15 lbf-inch



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia