Eaton 200FEE

Catalog Number: 200FEE

Eaton Bussmann series high speed British standard fuse, 240 Vac, 150 Vdc, 200A, 200 kAIC, None, Fuse, Blade end X blade end, Stud - 200FEE

General specifications

Product Name Catalog Number

Eaton Bussmann series high speed 200FEE

British standard fuse

051712832182

UPC

EAN Product Length/Depth

5027590466356 100 mm

Product Height Product Width 22 mm 187 mm

Product Weight Warranty

89.6 g Not Applicable

Compliances Certifications

CE Marked RoHS Compliant IEC Rated UL Recognized Designed

and tested to BS88 part 4 IEC 60269-4



Electrical data

Amperage Rating

200 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

200 kA RMS Sym, 50 kA at 500 Vdc

Class

Class aR

Pre arc (I2T)

1900

Clearing (I2T)

7100 at 415 V, 11400 at 660 V

Watt losses

52 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatble Trip indicator/Microswitch

Suitable for

EC-600 Trip indicator kit (indicator + clips)

TI700 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Certification reports

DA-DC-00004682

DA-DC-00004685

Compliance information

UKCA Low voltage fuse-links *AET,*AEET,*AFEE etc

Specifications and datasheets

Eaton Specification Sheet - 200FEE

Technical data sheets

720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia