

**BALDOR® • RELIANCE** 

**Product Information Packet**

**077700**

**TB-DLEZ-30M-SHCR**

**Specs**

<b>Bearing Duty:</b>	NORMAL DUTY		
<b>Bearing Family:</b>	D-LOCK BALL BEARING		
<b>Bearing Series:</b>	206 SERIES		
<b>Housing Material:</b>	Stainless steel		
<b>Housing Type:</b>	TAPPED BASE PILLOW BLOCK		
<b>Seal Type:</b>	TRIPLE-LIP CONTACT		
<b>Anti-Rotation Pin:</b>	YES		
<b>Ball Bearing Housing Series:</b>	206 SERIES		
<b>Ball Grade:</b>	CLASS 24		
<b>Ball Material:</b>	440 STAINLESS STEEL PER S508		
<b>Base to Center Height:</b>	STANDARD		
<b>End Cap Groove:</b>	YES		
<b>Expansion Type:</b>	NON-EXPANSION		
<b>Flinger Material:</b>	STAINLESS STEEL		
<b>Flinger Type:</b>	INTERNAL RUBBER LIP FLINGER		
<b>Grease Type:</b>	FOOD GRADE		
<b>Housing Coating:</b>	NO COATING		
<b>Bearing Inner Ring Material:</b>	STEEL		
<b>Shaft Attachment:</b>	D-LOCK		
<b>Bearing Outer Ring Material:</b>	STEEL		
<b>Self Aligning:</b>	SELF CENTERING		
<b>Manufacturing Plant Location:</b>	Rogersville, TN		
<b>Retainer Material:</b>	POLYMER		
<b>Retainer Type:</b>	MAX LIFE CAGE		

Ring Size:	STANDARD		
------------	----------	--	--

No performance data has been  
assigned to this product.