Product specifications

Eaton TCF100

Catalog Number: TCF100

Eaton Bussmann series TCF fuse, 100 A, 60 Hz, 50 Hz, Dual, CF, Black, With Indicator, Blade end, Time delay, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC at 300 Vdc, Glass filled PES, 35 mm DIN rail|Chassis, 600 V, 300 Vdc

General specifications

Product Name
Eaton Bussmann series TCF fuse

Catalog Number
TCF100

UPC
051712618182

EAN
5027590244091

Product Length/Depth
3.01 in

Product Height
2.125 in

Product Width
1 in

Product Weight
.284 lb

Warranty
Not Applicable

Compliances
CE Marked RoHS Compliant

Certifications
UL Listed CSA Certified

Electrical rating

Amperage Rating

100 A

Frequency rating - max

60 Hz

Frequency rating - min

50 Hz

Interrupt rating

100 kAIC at 300 Vdc

300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Color

Black

Fuse type

Class CF

Time delay

Material

Glass filled PES

Number of elements

Dual

Packaging type

Standard

General information

Class

Class CF

Connection

Blade end

Fuse indicator

With Indicator

Mounting method

Chassis

35 mm DIN rail

Special features

Finger safe

Used with

TCFH100N, CCP2-3-100CF

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

The Power of Space

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - TCF100

Technical data sheets

TCF100~CUBEFUSE, TCF 100A IND

Technical service bulletins

Datasheet - FNQ-30

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia