



LED Corn Cobs

18CC/LED/840/ND E26 G2 BB 6/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

Product data

General Information		
Cap-Base	E26 [Single Contact Medium Screw]	
Nominal lifetime	50,000 hour(s)	
Switching Cycle	50,000	
Lighting Technology	LED	
EU RoHS compliant	Yes	
Light Technical		
Color Code	840 [CCT of 4000K]	
Luminous Flux	2,400 lm	
Color Designation	Cool White (CW)	
Correlated Color Temperature (Nom)	4000 K	
Luminous Efficacy (rated) (Nom)	133.00 lm/W	
Color Consistency	ANSI 4000K quadrangle	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	18 W	
Lamp Current (Nom)	200 mA	
Starting Time (Nom)	1 s	

Warm-up time to 60% light	1 s
Power Factor (Fraction)	0.9
Voltage (Nom)	100-277 V
UL Type	HIB_UL Type B (UL Listed+Classified)
Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	60 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Plastic
Bulb Shape	Corncob
Approval and Application	
Energy Consumption kWh/1000 h	18 kWh
Application Conditions	
can it be used in closed luminaires	Yes


Datasheet, 2024, January 4 data subject to change

LED Corn Cobs

Product Data	
Order product name	18CC/LED/840/ND E26 G2 BB 6/1
Full product name	18CC/LED/840/ND E26 G2 BB 6/1
Order code	929002395304
Material Nr. (12NC)	929002395304
Numerator - Quantity Per Pack	1


EAN/UPC - Product/Case	046677559649	
Numerator - Packs per outer box	6	
EAN/UPC - Case	50046677559644	

Dimensional drawing




Product	D	С
18CC/LED/840/ND E26 G2 BB 6/1	60 mm	145 mm


Photometric data



Light Distribution Diagram - 18CC/LED/840/ND E26 G2 BB 6/1




Spectral Power Distribution Colour - 18CC/LED/840/ND E26 G2 BB 6/1




General uniform lighting - 18CC/LED/840/ND E26 G2 BB 6/1

LED Corn Cobs

Lifetime





Life Expectancy Diagram - 18CC/LED/840/ND E26 G2 BB 6/1

Lumen Maintenance Diagram - 18CC/LED/840/ND E26 G2 BB 6/1

