

# T5 High Output

## F24T5/830/HO/ALTO 40PK

Philips T5 HO lamps are environmentally-responsible, ultra-slim and have extraordinary light output and longer life.


### Product data

General Information		Mechanical and Housing	
Cap-Base	G5	Bulb Shape	T5
Features	HO Alto® [High Output Alto]		
Approval and Application			
Mercury (Hg) Content (Nom)	1.4 mg		
Product Data			
Order product name	F24T5/830/HO/ALTO 40PK		
Full product name	F24T5/830/HO/ALTO 40PK		
Order code	927992183022		
Material Nr. (12NC)	927992183022		
Numerator - Quantity Per Pack	1		
Net Weight (Piece)	54.000 g		
EAN/UPC - Product/Case	046677290191		
Numerator - Packs per outer box	40		
EAN/UPC - Case	50046677290196		
Operating and Electrical		Controls and Dimming	
Power Consumption	22.5 W	Dimmable	Yes
Lamp Current (Nom)	0.295 A		
Controls and Dimming			
Dimmable	Yes		


## T5 High Output

### Dimensional drawing

Product	D (max)	A (max)	B (max)	B (min)	C (max)
F24T5/830/HO/ALTO 40PK	17 mm	549.0 mm	556.1 mm	553.7 mm	563.2 mm




### Photometric data




Spectral Power Distribution Colour - F24T5/830/HO/ALTO 40PK

### Lifetime



Life expectancy diagram - 3 hour cycle



Lumen Maintenance Diagram - F24T5/830/HO/ALTO 40PK

## T5 High Output

### Lifetime

Life expectancy diagram - 12 hour cycle

