Part Number: P-R2-K2RF0

Panel Interface Connector with Category 5e RJ45; Panel Mount Housing; UL Type 4X; GFCI Duplex Inside-Outlet; No Circuit Breaker

https://shop.graceport.com/products/p-r2-k2rf0






Product Specifications

Description Detail	
Panel Interface Connector that typically mounts to the outside of a control panel housing. These programming ports eliminate the need to open the panel door and improve safety and compliance to NFPA 70e. We offer 15,000+ combinations of components and outlets.	
Component Details	
Component Code	R2
Component Quantity	1
Component Description	Category 5e RJ45
Component Type	Bulkhead
Gender Front	RJ45 Female
Gender Back	RJ45 Female
Electrical Specifications	
Power Type	Domestic GFCI Inside-Outside Rear Outlet
Power VAC	125
Power AMPs	15
SCCR Rating	2kA

Mechanical Specifications	
Enclosure Rating	IP65
Housing Size	K Size Housing
UL Type	Type 4X
Latch	Type 304 Stainless Steel
Cover	Polycarbonate, UV rated
Geometric Data	
Width	5.08 in
Height	3.54 in
Depth	1.60 in
Commercial Data	
Country of Origin	US
Schedule B Code	8537.10.9090
UPC Code	842864101482

Approval Certifications

Logo	Approval	Additional Text	Certificate Name	
	UL Underwriters Laboratories Inc.	Outlets UL Recognized for 15A	E207344	
	CSA Canadian Standards Association	Outlets Rated for 5A Max for Computer Use Only	File # LR110845	
RoHS	RoHS Restriction of Hazardous Substances		GP0004-0616-B-RH	
CE	CE European Conformity		GP0013-0317-A-CE	

CAD Files

File Format	
2D PDF File	

Datasheets

Name	
GracePort Datasheet	
GracePort Datasheet Spanish	
Inside-Outlet Installation Guide	
Panel Mount Housing Installation Guide	

Don’t see what you’re looking for?
Contact us at sales@gracetechnologies.com, call 1-800-280-9517 or visit www.graceport.com to chat with our customer service.