

Eaton N2RS603

Catalog Number: N2RS603

Eaton Crouse-Hinds series N2RS enclosed switch, 60A, With three-pole switch, Non-fused, 15 HP/30 HP/40 HP, Krydon fiberglass-reinforced polyester, Three-phase, 1-1/2", Factory sealed motor circuit switch, 240-600 Vac



General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series N2RS enclosed switch	N2RS603
	UPC
	782274959009
Product Length/Depth	Product Height
11.39 in	19.39 in
Product Width	Product Weight
10.22 in	27.4 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

NEMA Rating

3

4X

7

12

Product specifications

Enclosure type

With three-pole Switch

Amperage Rating

60A

Voltage rating

240-600 Vac

Horsepower

15 hp/30 hp/40 hp

Trade size

1-1/2"

Configuration

Three-pole

Fusing

Non-fused

Phase

Three-phase

Material

Krydon fiberglass-reinforced polyester

Type

Factory sealed motor circuit switch

Resources

Catalogs

[N2RS Series Non-metallic Enclosed Switches catalog page](#)

Certification reports

[N2RS Non-metallic Hazardous Area Enclosed Switches UL certification](#)

[N2RS Non-metallic Hazardous Area Enclosed Switches Canadian certification](#)

Installation instructions

[IF 1336 - N2RS Control Switches](#)

Specifications and datasheets

[Eaton Specification Sheet - N2RS603](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)