# FEED-THROUGH WIREWAY, NEMA TYPE 12

## APPLICATION

;MXL E ZEVMIX] SJ ¼XXMRKW ERH FVEGOIXW XL
[MVI[E] MW WYMXEFPI JSV E FVSEH VERKI SJ MR

## FEATURES

- 7IEQW GSRXMRYSYWP] [IPHIH ERH KVSYRH WQ
- 2S LSPIW SV ORSGOSYXW
- 7QSSXL VSYRHIH IHKIW SR EPP WIGXMSRW ER
- ,IEZ] FYXX LMRKIW ERH I\XIVREP WGVI[ GPEQT
- 3MP VIWMWXERX KEWOIX ERH EHLIWMZI

## SPECIFICATIONS

- KEYKI WXIIP GSZIVW ERH FSHMIW
- KEYKI WXIIP IRH ½ERKIW


## FINISH


%27- KVE] TSP]IWXIV TS[HIV ¼RMWL MRWMHI E
WYVJEGIW &S\ GSRRIGXSV MW KVE] %27- 'PE
plated.

## INDUSTRY STANDARDS

UL 870; File No. E27524


NEMA/EEMAC Type 12
JIC standards EGP-1-1967 and EMP-1-1967
CSA, File No. 42184, Type 1
IEC 60529, IP54







| | | | | |
|---|---|---|---|---|
| **F22LP** | 90° | 1 | 3.88<br>99 | 3.88<br>99 |
| **F44LP** | 90° | 1 | 5.38<br>137 | 5.38<br>137 |
| **F66LP** | 90° | 1 | 7.62<br>194 | 7.62<br>194 |
| **F88LP** | 90° | 1 | 9.62<br>244 | 9.62<br>244 |
| **F126LP** | 90° | 1 | 13.62<br>346 | 7.62<br>194 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.




| | | | | |
|---|---|---|---|---|
| **F44LRE22** | None | 0 | 4.00 x 4.00<br>102 x 102 | 2.50 x 2.50<br>64 x 64 |
| **F66LRE44** | None | 0 | 6.00 x 6.00<br>152 x 152 | 4.00 x 4.00<br>102 x 102 |
| **F88LRE66** | None | 0 | 8.00 x 8.00<br>203 x 203 | 6.00 x 6.00<br>152 x 152 |
| **F126LRE66** | None | 0 | 12.00 x 6.00<br>305 x 152 | 6.00 x 6.00<br>152 x 152 |
| **F126LRE44** | None | 0 | 12.00 x 6.00<br>305 x 152 | 4.00 x 4.00<br>102 x 102 |


Certified by Canadian Standards Association.




| | | | |
|---|---|---|---|
| **F22LN1** | 2.50 x 2.50 x 1.00<br>64 x 64 x 25 | Special | 1 |
| **F22LN2** | 2.50 x 2.50 x 2.00<br>64 x 64 x 51 | Special | 1 |
| **F22LN3** | 2.50 x 2.50 x 3.00<br>64 x 64 x 76 | Special | 1 |
| **F44LN1** | 4.00 x 4.00 x 1.00<br>102 x 102 x 25 | Special | 1 |
| **F44LN2** | 4.00 x 4.00 x 2.00<br>102 x 102 x 51 | Special | 1 |
| **F44LN3** | 4.00 x 4.00 x 3.00<br>102 x 102 x 76 | Special | 1 |
| **F66LN1** | 6.00 x 6.00 x 1.00<br>152 x 152 x 25 | Special | 1 |
| **F66LN2** | 6.00 x 6.00 x 2.00<br>152 x 152 x 51 | Special | 1 |
| **F66LN3** | 6.00 x 6.00 x 3.00<br>152 x 152 x 76 | Special | 1 |


[a]Each sealing plate also includes one gasket and one set of screws to join sections.

Certified by Canadian Standards Association.





| | | | | |
|---|---|---|---|---|
| **F22HD** | None | 0 | 9.25<br>235 | 4.50<br>114 |
| **F44HD** | None | 0 | 11.75<br>298 | 6.00<br>152 |
| **F66HD** | None | 0 | 15.25<br>387 | 8.12<br>206 |
| **F88HD** | None | 0 | 20.56<br>522 | 12.12<br>308 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.




| | | | |
|---|---|---|---|
| **F22HB** | 4.62<br>117 | 3.62<br>92 | 4.38<br>111 |
| **F44HB** | 6.12<br>155 | 3.62<br>92 | 5.88<br>149 |
| **F66HB** | 8.25<br>210 | 3.62<br>92 | 7.88<br>200 |
| **F88HB** | 10.25<br>260 | 3.62<br>92 | 11.25<br>286 |





| | | | | |
|---|---|---|---|---|
| **F22LB** | 90° | 1 | 3.88<br>99 | 3.88<br>99 |
| **F44LB** | 90° | 1 | 5.38<br>137 | 5.38<br>137 |
| **F66LB** | 90° | 1 | 7.62<br>194 | 7.62<br>194 |
| **F88LB** | 90° | 1 | 9.62<br>244 | 9.62<br>244 |
| **F126LB** | 90° | 1 | 13.62<br>346 | 7.62<br>194 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.

| | | | |
|---|---|---|---|
| **F22LKT** | 2.50 x 2.50<br>64 x 64 | Flat | 1 |
| **F44LKT** | 4.00 x 4.00<br>102 x 102 | Flat | 1 |
| **F66LKT** | 6.00 x 6.00<br>152 x 152 | Flat | 1 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.


Certified by Canadian Standards Association.




| | | | |
|---|---|---|---|
| **F22LKOKT** | 2.50 x 2.50<br>64 x 64 | Flat | 1 |
| **F44LKOKT** | 4.00 x 4.00<br>102 x 102 | Flat | 1 |
| **F66LKOKT** | 6.00 x 6.00<br>152 x 152 | Flat | 1 |


[a]Each sealing plate also includes one gasket and one set of screws to join sections.

Certified by Canadian Standards Association.




| | | | |
|---|---|---|---|
| **F44B360** | 1 pkg.[a] (5 pcs.) | 3.00 | 76 |
| **F66B560** | 1 pkg.[a] (5 pcs.) | 4.50 | 114 |

[a]Package consists of five barriers or five brackets. Each barrier is 60 inches long.





›

| | | | | |
|---|---|---|---|---|
| **F22LE9KT** | 2.50 x 2.50<br>64 x 64 | Flat | 1 | 2.45<br>108 |
| **F44LE9KT** | 4.00 x 4.00<br>102 x 102 | Flat | 1 | 5.00<br>127 |
| **F66LE9KT** | 6.00 x 6.00<br>152 x 152 | Flat | 1 | 6.00<br>452 |
| **F88LE9KT** | 8.00 x 8.00<br>203 x 203 | Flat | 1 | 7.00<br>178 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.

Certified by Canadian Standards Association.






›

| | | | | |
|---|---|---|---|---|
| **F22LE9KOKT** | 2.50 x 2.50<br>64 x 64 | Flat | 1 | 4.25<br>108 |
| **F44LE9KOKT** | 4.00 x 4.00<br>102 x 102 | Flat | 1 | 5.00<br>127 |
| **F66LE9KOKT** | 6.00 x 6.00<br>152 x 152 | Flat | 1 | 6.00<br>152 |
| **F88LE9KOKT** | 8.00 x 8.00<br>203 x 203 | Flat | 1 | 7.00 |

[a]Each sealing plate also includes one gasket and one set of screws to join sections.

Certified by Canadian Standards Association.




| | | | |
|---|---|---|---|
| **F44BB2C** | 1 pkg. | 3.00 | 76 |
| **F66BB2C** | 1 pkg. | 4.50 | 114 |


[a]Package consists of five barriers or five brackets. Each barrier is 60 inches long.

| | | | |
|---|---|---|---|
| **F44BB3C** | 1 pkg. | 3.00 | 76 |
| **F66BB3C** | 1 pkg. | 4.50 | 114 |

[a]Package consists of five barriers or five brackets. Each barrier is 60 inches long.

¥


| | | |
|---|---|---|
| **F33BK60** | 3.00 x 3.00<br>76 x 76 | 2.00<br>51 |
| **F44BK60** | 4.00 x 4.00<br>102 x 102 | 3.00<br>76 |
| **F66BK60** | 6.00 x 6.00<br>152 x 152 | 4.50<br>114 |
| **F88BK60** | 8.00 x 8.00<br>203 x 203 | 6.00<br>152 |




/


›f f f f

/




| | |
|---|---|
| **F22LSAG** | 2.50 x 2.50<br>64 x 64 |
| **F44LSAG** | 4.00 x 4.00<br>102 x 102 |
| **F66LSAG** | 6.00 x 6.00<br>152 x 152 |
| **F88LSAG** | 8.00 x 8.00<br>203 x 203 |
| **F126LSAG** | 12.00 x 6.00<br>305 x 152 |

Each sealing plate also includes one gasket and one set of screws to join sections.




| | |
|---|---|
| **F22LSGQR** | 2.50 x 2.50<br>64 x 64 |
| **F44LSGQR** | 4.00 x 4.00<br>102 x 102 |
| **F66LSGQR** | 6.00 x 6.00<br>152 x 152 |
| **F88LSGQR** | 8.00 x 8.00<br>203 x 203 |
| **F126LSGQR** | 12.00 x 6.00<br>305 x 152 |

Each sealing plate also includes one gasket and one set of screws to join sections.