

BALDOR® • RELIANCE 

Product Information Packet

129263

P2B-GTEZ-25M-SHCR

Specs			
Bearing Duty:	NORMAL DUTY		
Bearing Family:	GRIP TIGHT BALL BEARING		
Bearing Series:	205 SERIES		
Housing Material:	Stainless steel		
Housing Type:	2 BOLT PILLOW BLOCK		
Seal Type:	TRIPLE-LIP CONTACT		
Anti-Rotation Pin:	YES		
Ball Bearing Housing Series:	205 SERIES		
Ball Grade:	CLASS 24		
Ball Material:	440 STAINLESS STEEL PER S508		
Base to Center Height:	STANDARD		
End Cap Groove:	YES		
Expansion Type:	NON-EXPANSION		
Flinger Material:	STAINLESS STEEL		
Flinger Type:	INTERNAL RUBBER LIP FLINGER		
Grease Type:	FOOD GRADE		
Housing Coating:	NO COATING		
Bearing Inner Ring Material:	STEEL		
Shaft Attachment:	GRIP TIGHT		
Bearing Outer Ring Material:	STEEL		
Self Aligning:	SELF CENTERING		
Manufacturing Plant Location:	Rogersville, TN		
Retainer Material:	POLYMER		
Retainer Type:	MAX LIFE CAGE		

Ring Size:	STANDARD		
------------	----------	--	--

No performance data has been assigned to this product.