

COMPACT, TYPE 4X
INDUSTRY STANDARDS

UL 508A Listed; Type 4, 4X, 12, 13; File No. E61997

NEMA/EEMAC Type 4, 4X, 12, 13
 CSA File No. 42186: Type 4, 4X, 12, 13
 IEC 60529, IP66

APPLICATION

For use in indoor or outdoor applications, these stylized enclosures protect components and controls in corrosive environments.

SPECIFICATIONS

- Cast aluminum; no welded seams or sharp corners
- Stainless steel captivated cover screws placed outside sealed area
- Two to four grounding screws located on enclosure back wall
- Oil-resistant, seamless foam-in-place gasket
- Tongue-and-groove sealing construction
- Threaded internal bosses provided for mounting optional panels, rails and other components
- Mounting holes provided in corners outside of gasketed area

FINISH

6 % 0 XI\XYVIH KVEJ ¼ RMWL MRWMHI ERH SYX
 Custom colors available; contact Customer Service for additional options.

ACCESSORIES

- DIN Type Rails
- Hinge Kit
- Mounting Bracket Kits
- DIN Type Rails

BULLETIN: CA1

Standard Product

Catalog Number	AxBxC mm/in.	External Dimensions L x W mm/in.	Conductive Panel	Panel Size D x E mm/in.	Mounting G x H mm/in.	F mm/in.	J mm/in.	K mm/in.	M mm/in.	N mm/in.	Q mm/in.	R mm/in.
CCA886	68 x 73 x 51 2.68 x 2.87 x 2.01	75 x 80 2.95 x 3.15	CCAP88	68 x 73 2.68 x 2.87	52 x 63 2.05 x 2.48	45 1.77	42 1.65	15 0.59	15 0.59	30 1.18	6 .24	6 .24
CCA1286	118 x 73 x 51 4.65 x 2.87 x 2.01	125 x 80 4.92 x 3.15	CCAP128	116 x 71 4.57 x 2.79	52 x 113 2.05 x 4.45	45 1.77	42 1.65	15 0.59	15 0.59	30 1.18	6 .24	6 .24
CCA1886	168 x 73 x 51 6.61 x 2.87 x 2.01	175 x 80 6.89 x 3.15	CCAP188	163 x 73 6.42 x 2.87	52 x 163 2.05 x 6.42	45 1.77	42 1.61	15 0.59	15 0.59	30 1.18	6 .24	6 .24
CCA12128	114 x 114 x 72 4.49 x 4.49 x 2.83	122 x 122 4.80 x 4.80	CCAP1212	113 x 113 4.45 x 4.45	82 x 106 3.23 x 4.17	59 2.32	60 2.36	20 0.79	52 2.05	— —	8 .31	8 .31
CCA22128	212 x 112 x 72 4.49 x 4.41 x 2.83	220 x 122 8.66 x 4.80	CCAP2212	211 x 113 8.31 x 4.45	82 x 204 3.23 x 8.03	59 2.32	60 2.36	20 0.79	52 2.05	— —	8 .31	8 .31
CCA16169	152 x 152 x 82 5.98 x 5.98 x 3.23	160 x 160 6.30 x 6.30	CCAP1616	151 x 151 5.94 x 5.94	110 x 140 4.33 x 5.51	73 2.87	70 2.76	20 0.79	76 2.99	— —	10 .39	10 .39
CCA26169	252 x 152 x 82 9.92 x 5.98 x 3.23	260 x 160 10.23 x 6.30	CCAP2616	251 x 151 9.88 x 5.94	110 x 240 4.33 x 9.45	73 2.87	70 2.76	20 0.79	76 2.99	— —	10 .39	10 .39
CCA36169	352 x 152 x 82 13.86 x 5.98 x 3.23	360 x 160 14.17 x 6.30	CCAP3616	351 x 151 13.82 x 5.94	110 x 340 4.33 x 13.39	73 2.87	70 2.76	20 0.79	76 2.99	— —	10 .39	10 .39
CCA202311	192 x 222 x 102 7.56 x 8.74 x 4.02	200 x 230 7.87 x 9.06	CCAP2023	191 x 221 7.52 x 8.70	180 x 180 7.09 x 7.09	93 3.66	90 3.54	20 0.79	80 3.15	120 4.72	10 .39	10 .39
CCA332311	322 x 222 x 102 12.68 x 8.74 x 4.02	330 x 230 12.99 x 9.06	CCAP3323	321 x 221 12.64 x 8.70	180 x 310 7.09 x 12.21	93 3.66	90 3.54	20 0.79	80 3.15	120 4.72	10 .39	10 .39
CCA332318	322 x 222 x 172 12.68 x 8.74 x 6.77	330 x 230 12.99 x 9.06	CCAP3323	321 x 221 12.64 x 8.70	180 x 310 7.09 x 12.21	162 6.38	160 6.30	20 0.79	100 3.94	144 5.67	10 .39	10 .39

A x B x C are internal dimensions.

Purchase panels separately.

CCA886, CCA1286 and CCA1886 enclosures have only two mounting holes.

ALUMINUM TYPE 4X ACCESSORY SELECTION MATRIX

Accessory Catalog Number	CCA886	CCA1286	CCA1886	CCA12128	CCA22128	CCA16169	CCA26169	CCA36169	CCA202311	CCA23128	CCA33128
Hinge Kit											
CCAHK			n	n	n	n	n	n	n	n	n
Mounting Bracket Kit											
CCAMF12			n	n							
CCAMF16					n		n				
CCAMF31								n	n		n
Panels											
CCAP88	n										
CCAP128		n									
CCAP188			n								
CCAP1212				n							
CCAP2212					n						
CCAO1616						n					
CCAP2616							n				
CCAP3616								n			
CCAP2023									n		
CCAP3323										n	n
DIN Type Rails											
CCADR8S1	n										
CCADR12S1		n									
CCADR18S1			n								
CCADR12S2				n							
CCADR22S2					n						
CCADR16S2						n					
CCADR26S2							n				
CCADR36S2								n			
CCADR20S2									n		
CCADR33S2										n	n