

T5 High Output

24W/835 Min Bipin T5 HO ALTO UNP


Philips T5 HO lamps are environmentally-responsible, ultra-slim and have extraordinary light output and longer life.

Product data

General Information		Mechanical and Housing	
Cap-Base	G5	Bulb Shape	T5
Features	HO Alto® [High Output Alto]	Approval and Application	
Light Technical			Mercury (Hg) Content (Nom) 1.4 mg
Color Code	835 [CCT of 3500K]	Product Data	
Luminous Flux	1,950 lm	Order product name	24W/835 Min Bipin T5 HO ALTO UNP
Luminous Efficacy (rated) (Nom)	76 lm/W	Full product name	24W/835 Min Bipin T5 HO ALTO UNP
Color Designation	White (WH)	Order code	927992183522
Correlated Color Temperature (Nom)	3500 K	Material Nr. (12NC)	927992183522
Color rendering index (CRI)	82	Numerator - Quantity Per Pack	1
Operating and Electrical			Net Weight (Piece) 54.000 g
Power Consumption	22.5 W	EAN/UPC - Product/Case	046677290207
Lamp Current (Nom)	0.295 A	Numerator - Packs per outer box	40
Controls and Dimming			EAN/UPC - Case 50046677290202
Dimmable	Yes		


T5 High Output

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
24W/835 Min Bipin T5 HO ALTO UNP	17 mm	549.0 mm	556.1 mm	553.7 mm	563.2 mm

Photometric data




Spectral Power Distribution Colour - 24W/835 Min Bipin T5 HO ALTO UNP

Lifetime



Life expectancy diagram - 3 hour cycle



Lumen Maintenance Diagram - 24W/835 Min Bipin T5 HO ALTO UNP

T5 High Output

Lifetime

Life expectancy diagram - 12 hour cycle

