Product specifications

Eaton KRP-C-800SP

Catalog Number: KRP-C-800SP

Eaton Bussmann series KRP-C fuse, Current-limiting time-delay fuse, 800 A, L, Non-indicating, Bolted blade end x bolted blade end, 4 sec at 500%, 300 kAIC at 600 V|100 kA at 300 kAIC Vdc, 600 V, 300 Vdc

General specifications

Product Name

Eaton Bussmann series KRP-C fuse

Catalog Number

KRP-C-800SP

UPC

051712605083

Product Length/Depth

8.63 in

Product Height

Product Width

2.53 in

Product Weight

Warranty

Not Applicable

3.8 lb

2.53 in

Compliances

CE Marked RoHS Compliant



Electrical rating

Amperage Rating

800 A

Interrupt rating

300 kAIC at 600 Vac 100 kA at 300 kAIC Vdc

Response time

4 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Class L

Connection

Bolted blade end x bolted blade end

Fuse indicator

Special features

Small footprint

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KRP-C-800SP

Technical data sheets

KRP-C-800SP~LOW-PEAK TIME-DELAY 300K

Technical service bulletins

Datasheet - FNQ-30

Physical details

Packaging type

Standard

General information

Class

Non-indicating



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia