
Photo Batteries




L544BP
6 V
Case UPC: 0-39800-02572-9
Pkg. UPC: 0-39800-09251-9




2L76BP
3 V
Case UPC: 0-39800-02584-6
Pkg. UPC: 0-39800-09252-6



A544BP
6 V
Case UPC: 0-39800-02571-5
Pkg. UPC: 0-39800-04923-0



EPX76BP
1.5 V
Case UPC: 0-39800-3722-0
Pkg. UPC: 0-39800-3722-0



539BP
6 V
Case UPC: 0-39800-02659-0
Pkg. UPC: 0-39800-02141-0

Lantern Batteries



521
6 V
Case UPC: 0-39800-08962-5
Pkg. UPC: 0-39800-08962-5



528
6 V
Case UPC: 0-39800-09253-3
Pkg. UPC: 0-39800-09253-3



529
6 V
Case UPC: 0-39800-05156-1
Pkg. UPC: 0-39800-07663-2

Energizer® Bulk Batteries:

Product No.	Size	Volts	Case/Pkg. UPC:
E90	N	1.5 V	UPC: 0-39800-01448-1
E91	AA	1.5 V	UPC: 0-39800-01131-2
E92	AAA	1.5 V	UPC: 0-39800-01399-6
E93	C	1.5 V	UPC: 0-39800-01135-0
E95	D	1.5 V	UPC: 0-39800-01138-1
522	9 V	9 V	UPC: 0-39800-03158-7

Energizer® Batteries


Energizer® is a complete line of premium alkaline primary battery products, specifically formulated to provide dependable, long-lasting power that keeps today's devices "going and going."

Energizer®'s category leadership has provided reliable portable power that maximizes fun, productivity and safety. Continuous enhancements to brand performance outpace the consumers' needs for portability in their action-packed lives.

Energizer® brand offers a complete line of AA, AAA, C, D, 9V, N and 6V products packaged as blister packs, multi-packs, family packs and club packs

Benefits

- The volume and share driver of the Energizer® product portfolio
- Cell and packaging options for virtually any consumer and customer application
- Long product life minimizes inventory issues with customers, maximizes product freshness for consumers
- An environmentally responsible battery that can be disposed of with regular household trash



Features

- Designed for long-lasting performance in the broadest range of device applications
- Broadest range of primary cell types and package configurations
- Seven-year shelf life
- No added-mercury

Primary Usage

Toys, audio devices, flashlights, electronic devices, remote controls, communication devices, smoke detectors, security systems.



Game Boy and Gameboy Color are trademarks of Nintendo of America Inc.
© 1989, 1998 Nintendo of America Inc.

ENERGIZER® CROSS REFERENCE GUIDE

Eveready Battery Company

Batteries & Specifications

Brand Replacement Chart

EVEREADY® BATTERY NO.	ANSI/ NEDA NO.	IEC NO.	CHEMICAL SYSTEM	VOLT.	DIMENSIONS IN MILLIMETERS L X W X H	TERMINALS	BRIGHT STAR	DURACELL®	RAY-O-VAC	PANASONIC	VARTA	OTHER	MILITARY
Energizer®													
E90	910A	LR1	Alk.	1.5	11.9 Dia. x 29.3	Flat	-	MN9100	810	AM5	4001	KN, LR1N	-
E91	15A	LR6	Alk.	1.5	14.3 Dia. x 50.5	Flat	7524	MN1500	815	AM3	4006	KAA, LR6N, 7524, B15A	BA3058/U
E92	24A	LR03	Alk.	1.5	10.5 Dia. x 44.5	Flat	7526	MN2400	824	AM4	4003	K3A, LR03N, 7526, B24A	-
E93	14A	LR14	Alk.	1.5	26.2 Dia. x 50.0	Flat	7522	MN1400	814	AM2	4014	KC, LR14N, 7522, B14A	BA3042/U
E95	13A	LR20	Alk.	1.5	34.1 Dia. x 61.1	Flat	7520	MN1300	813	AM1	4020	KD, LR20N	BA3030/U
E96	25A	-	Alk.	1.5	8.3 Dia. x 42.5	Flat	-	-	-	-	4061	-	-
521	918A	-	Alk.	6	136.5 x 73.0 x 125.4	Ins. Knurl	-	MN918	-	-	-	-	-
522	1604A	6LR61	Alk.	9	26.2 x 16.6 x 48.4	Min. Snap	7590	MN1604	A1604	6AM6	4022	K9V, 6LF22, 7590, B1604A	BA3090/U
528	915A	4LR25	Alk.	6	66.7 x 66.7 x 109.5	Knurl	-	-	-	-	-	-	-
529	908A	4LR25	Alk.	6	66.7 x 66.7 x 115.0	Coil Spring	-	MN908	-	-	-	-	-
Energizer® e²™ Titanium													
X91	15A	LR6	Alk	1.5	14.5 Dia. x 50.5	Flat	-	MX1500	-	-	-	-	-
X92	24A	LR03	Alk	1.5	10.5 Dia. x 44.5	Flat	-	MX2400	-	-	-	-	-
X93	14A	LR14	Alk	1.5	26.2 Dia. x 50.5	Flat	-	MX1400	-	-	-	-	-
X95	13A	LR20	Alk	1.5	34.2 Dia. x 61.5	Flat	-	MX1300	-	-	-	-	-
X22	1604A	6LR61	Alk	9	26.5 Dia. x 17.5 x 48.5	Snap	-	MX1604	-	-	-	-	-
Eveready® Alkaline													
A91	15A	LR6	Alk	1.5	14.5 Dia. x 50.5	Flat	-	-	-	-	-	-	-
A92	24A	LR03	Alk	1.5	10.5 Dia. x 44.5	Flat	-	-	-	-	-	-	-
A93	14A	LR14	Alk	1.5	26.2 Dia. x 50.0	Flat	-	-	-	-	-	-	-
A95	13A	LR20	Alk	1.5	34.2 Dia. x 61.5	Flat	-	-	-	-	-	-	-
A22	1604A	6LR61	Alk	9	26.5 Dia.x 17.5 x 48.5	Snap	-	-	-	-	-	-	-
Eveready Super Heavy Duty®													
1209	908D	4R25	C-Z	6	66.7 x 66.7 x 112.0	Coil Spring	-	-	944	-	431	-	-
1212	24D	R03	C-Z	1.5	10.5 Dia. x 44.5	Flat	-	-	-	UM4N	-	R03U	-
1215	15D	R6	C-Z	1.5	14.3 Dia. x 50.1	Flat	-	M15SHD	5AA	UM3N	30062	SUM3, SG2 R6U, 930	- -
1222	1604D	6F22	C-Z	9	26.4 x 17.5 x 48.4	Min. Snap	2MN6	M9VSHD	D1604	006PN	30222 2622	006P, SG2 6F22U, 2MN6	-
1235	4D	R14	C-Z	1.5	26.2 Dia. x 49.8	Flat	111C2	M14SHD	4C	UM2N	30142 2614	SUM2, SG2 UM2U, R14U, 111C, 100	-
1250	13D	R20	C-Z	1.5	34.1 Dia. x 61.5	Flat	110C	M13SHD	6D	UM1N	30202, 2620	SUM1, SG2, UM1U, R20U,	-
Eveready® Classic™													
510S	915	4R25	C-Z	6	66.7 x 66.7 x 109.5	Knurl	460S2	M9152	942	-	-	467, 460S, F4BP	BA803/U
Energizer® Lithium Photo													
EL1CR2	-	CR15H270	Li.	3	15.6 Dia. x 27.0	Flat	-	DLCR2	-	CR2	CR2	KCR2	-
EL2CR5	5032LC	2CR5	Li.	6	34.1 x 17.1 x 45.1	Flat	-	DL245	-	2CR5	2CR5	2CR5, KL2CR5	-
EL123AP	5018LC	CR17345	Li.	3	17.1 Dia. x 34.5	Flat	-	DL123A	-	CR123A	CR123A	K123LA	-
EL223AP	5024LC	CRP2	Li.	6	33.9 x 19.5 x 36.0	Flat	-	DL223A	-	CR-P2	-	K223LA	-
L91	15LF	-	Li.	1.5	14.3 Dia. x 50.5	Flat	-	-	-	-	-	-	-
L544	1406LC	2CR11108	Li.	6	12.8 Dia. x 25.1	Flat	-	PX28L	-	-	- V28PXL	K28L 2CR1/3N	-
2L76	5008LC	CR11108	Li.	3	11.6 Dia. x 10.8	Flat	-	DL1/3N	-	-	CR1/3N	CR1/3N, LR1/3N2	-

[1]Abbreviations are: C-Z=Carbon-Zinc, Alk.=Alkaline, Sil. Ox.= Silver Oxide, Li.=Lithium, MnO_2=Manganese Dioxide, Zn-Air=Zinc-Air, NiMH=Nickel Metal Hydride

[2]Obsolete

Note: Millimeters x 0.039 = Inches

CROSS REFERENCE BASED UPON DIMENSIONS, VOLTAGE, AND ELECTRICAL DRAIN RATE ONLY.