

BALDOR® • RELIANCE

Product Information Packet

CEWDM23933T


15HP, 1765RPM, 3PH, 60HZ, 254TC, 3942M, TEFC, F

Part Detail							
Revision:	AH	Status:	PRD/A	Change #:		Proprietary:	No
Type:	AC	Prod. Type:	3942M	Elec. Spec:	39WGW595	CD Diagram:	CD0005
Enclosure:	TEFC	Mfg Plant:		Mech. Spec:	39R098	Layout:	39LYR098
Frame:	254TC	Mounting:	F1	Poles:	04	Created Date:	
Base:	RG	Rotation:	R	Insulation:	F	Eff. Date:	01-04-2017
Leads:	9#12					Replaced By:	
Literature:		Elec. Diagram:					



Nameplate NP1669E

CAT.NO.	CEWDM23933T										
SPEC.	39R098W595G1										
HP	15										
VOLTS	230/460										
AMP	36/18										
RPM	1765										
FRAME	254TC				HZ	60		PH	3		
SER.F.	1.15				CODE	H		DES	A		
NEMA-NOM-EFF	92.4				PF	84				CLASS	F
RATING	40C AMB-CONT										
CC	010A				USABLE AT 208V					36	
DE	6309				ODE	6208					
ENCL	TEFC				SN						
BLANK											


No performance data has been
assigned to this product.



CD0005


 LOW VOLTAGE
(2Y)


LINE

 HIGH VOLTAGE
(1Y)


LINE

NOTES:

1. INTERCHANGE ANY TWO LINE LEADS TO REVERSE ROTATION.
2. OPTIONAL THERMOSTATS ARE PROVIDED WHEN SPECIFIED.
3. ACTUAL NUMBER OF INTERNAL PARALLEL CIRCUITS MAY BE A MULTIPLE OF THOSE SHOWN ABOVE.
4. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.

REV. DESC: REVISE TO SHOW OPTIONAL COLORS

REV. LTR: E

BY: JLP

REVISED: 01/19/99 10:15

TDR: 0171435

900000

FILE: AAA00005140

MDL: -

MTL: -

BALDOR ELECTRIC Co.

3PH, DV, 9 LEADS

CD0005