

T5 High Output

54W/840 Min Bipin T5 HO ALTO UNP


Philips T5 HO lamps are environmentally-responsible, ultra-slim and have extraordinary light output and longer life.

Product data

General Information		Mechanical and Housing		
Cap-Base	G5	Bulb Shape	T5	
Features	HO Alto® [High Output Alto]	Net Weight (Piece)	105.800 g	
Light Technical			Approval and Application	
Color Code	841 [CCT of 4100K]	Mercury (Hg) Content (Nom)	1.4 mg	
Luminous Flux	5,000 lm			
Color Designation	Cool White (CW)			
Correlated Color Temperature (Nom)	4100 K			
Luminous Efficacy (rated) (Nom)	83 lm/W			
Color rendering index (CRI)	82			
Operating and Electrical			Product Data	
Power Consumption	54.1 W	Order product name	54W/840 Min Bipin T5 HO ALTO UNP	
Lamp Current (Nom)	0.455 A	Full product name	54W/840 Min Bipin T5 HO ALTO UNP	
Controls and Dimming			Order code	927993184022
Dimmable	Yes	Material Nr. (12NC)	927993184022	
		Numerator - Quantity Per Pack	1	
		EAN/UPC - Product/Case	046677290832	
		Numerator - Packs per outer box	40	
		EAN/UPC - Case	50046677290837	


T5 High Output

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
54W/840 Min Bipin T5 HO ALTO UNP	17 mm	1,149.0 mm	1,156.1 mm	1,153.7 mm	1,163.2 mm

Photometric data




Spectral Power Distribution Colour - 54W/840 Min Bipin T5 HO ALTO UNP

Lifetime



Life expectancy diagram - 3 hour cycle



Lumen Maintenance Diagram - 54W/840 Min Bipin T5 HO ALTO UNP

T5 High Output

Lifetime

Life expectancy diagram - 12 hour cycle

