BALDOR
A MEMBER OF THE ABB GROUP

BALDOR • RELIANCE

Product Information Packet

GM25280

G.M. K16XF 190/380-415//230/460 VAC

Copyright © All product information within this document is subject to Baldor Electric Company copyright © protection, unless otherwise noted.

Part Detail							
Revision:	M	**Status:**	PRD/A	**Change #:**		**Proprietary:**	No
Type:	AC	**Prod. Type:**	2516M	**Elec. Spec:**	25WGW234	**CD Diagram:**	CD0005A05
Enclosure:	TEFC	**Mfg Plant:**		**Mech. Spec:**		**Layout:**	25E638W234G5
Frame:	G	**Mounting:**		**Poles:**	04	**Created Date:**	01-24-2007
Base:		**Rotation:**	R	**Insulation:**	F	**Eff. Date:**	05-18-2016
Leads:	9#18					**Replaced By:**	
Literature:		**Elec. Diagram:**					

BALDOR
A MEMBER OF THE ABB GROUP

Nameplate NP1869A01

CAT.NO.	GM25280				
SPEC.	25E638W234G5				
SER.NO					
HP	.1//.12	**HZ**	50//60		
VOLTS	190/380-415//230/460				
AMP	.65/.33-.35//.64/.32				
PH	3	**CAP**		**CODE**	L
CLASS	F	**AMB.**	40		
DUTY	CONT				
R.P.M.	4.9//5.9				
TORQ/IN LB	400				
RATIO	280:1	**APRV-CSA**		**APRV-UL**	
APRV-CE					

BALDOR A MEMBER OF THE ABB GROUP

No performance data has been assigned to this product.

BALDOR
A MEMBER OF THE ABB GROUP

25E638W234G5



CONNECTION LABEL UNDER
CONDUIT BOX LID



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: ADD LB1451			BALDOR • DODGE • RELIANCE
REV. LTR: B	VERSION: 02	TDR: 000000710519	
FILE: \CKA\00031\449		REVISED: 05:53:26 09/02/2011	LY,25AC GB EXR TEFC
MTL: –		BY: CKAPRBO	SH 1 of 3

25E638W234G5

BALDOR
A MEMBER OF THE ABB GROUP

25E638W234G5



25E638W234G5

CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: ADD LB1451			BALDOR • DODGE • RELIANCE
REV. LTR: B	VERSION: 02	TDR: 000000710519	
FILE: \CKA\00031\449		REVISED: 05:53:26 09/02/2011	LY,25AC GB EXR TEFC
MTL: –		BY: CKAPRB0	SH 2 of 3

BALDOR A MEMBER OF THE ABB GROUP

25E638W234G5





25E638W234G5

CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: ADD LB1451			BALDOR • DODGE • RELIANCE
REV. LTR: B	VERSION: 02	TDR: 000000710519	
FILE: \CKA\00031\449		REVISED: 05:53:27 09/02/2011	LY,25AC GB EXR TEFC
MTL: –		BY: CKAPRB0	SH 3 of 3

BALDOR A MEMBER OF THE ABB GROUP

CD0005A05







NOTES:

1. INTERCHANGE ANY TWO LINE LEADS TO REVERSE ROTATION.
2. OPTIONAL THERMOSTATS ARE PROVIDED WHEN SPECIFIED.
3. ACTUAL NUMBER OF INTERNAL PARALLEL CIRCUITS MAY BE A MULTIPLE OF THOSE SHOWN ABOVE.
4. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.
5. (#) =MAGNET WIRE COIL END WITH I.D. NUMBER.
6. [*] =MAGNET WIRE COIL END WITH I.D. SYMBOL.
7. SEE CW PRINT FOR NEST TO NEST CROSSOVER CONNECTIONS.

REV. DESC: ADD NEST NOTE			BALDOR • DODGE • RELIANCE
REV. LTR: C	VERSION: 03	TDR: 000000445597	
CD0005A05	FILE: \CKA\00024\847	REVISED: 12:51:06 11/15/2007	3PH, DV, 9 LEADS, CK
	MTL: –	BY: CKMICRO	

CD0005A05

BALDOR A MEMBER OF THE ABB GROUP