

Eaton MV155F1DBX30E

Catalog Number: MV155F1DBX30E

Eaton Bussmann series MV055 E-Rated medium voltage fuse, 15.5 kV, 30A, 50 kAIC, Non Indicating, Current limiting, Ferrule end X ferrule end, Fiberglass tube, 1

General specifications

Product Name	Catalog Number
Eaton Bussmann series MV155F E-rated MV155F1DBX30E fuse	UPC 051712269315
Product Length/Depth .75 in	Product Height 23 in
Product Width .75 in	Product Weight 1.1 lb
Warranty Not Applicable	Compliances Contact factory
Certifications ANSI	



Electrical rating

Amperage Rating

30 A

Interrupt rating

50 kAIC

Voltage rating

15.5 kV

Physical details

Material

Fiberglass tube

Packaging type

Standard

General information

Barrels

1

Connection

Ferrule end x ferrule end

Element

Silver ribbon

Fuse indicator

Non Indicating

Resources

Catalogs

Bussmann series 2018 full line catalog no. 1007, section 7 - medium voltage fuses

MV155F1DBX30E~MEDIUM VOLTAGE E-RATED

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - MV155F1DBX30E



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)