



CorePro Plastic (Dimmable) A-Shape Lamps

14A19/COR/940/FR/P/E26/DIM/T20 6/1CT

Dimmable A-shape lamps that offer over 25,000 hours lifetime. Title 20 listed lamps that can be sold in California and ideal for commercial spaces nationwide.

Product data


General Information		Lamp Current (Nom)	
Cap-Base	E26	Lamp Current (Nom)	140 mA
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	100 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.7
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	940 [CCT of 4000K]	Ambient temperature range	-20 to +45 °C
Beam Angle (Nom)	200 degree(s)	T-Case Maximum (Nom)	100 °C
Luminous Flux	1,500 lm		
Luminous Efficacy (rated) (Nom)	107 lm/W	Controls and Dimming	
Color Designation	Cool White (CW)	Dimmable	Only with specific dimmers
Correlated Color Temperature (Nom)	4000 K		
Color Consistency	<4	Mechanical and Housing	
Color rendering index (CRI)	90	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Material	Plastic
		Bulb Shape	A19
Operating and Electrical		UL Wet/ damp/ dry location	Damp location
Input Frequency	60 Hz		
Power Consumption	14 W		

CorePro Plastic (Dimmable) A-Shape Lamps

Approval and Application	
EU RoHS compliant	Yes
T20 compliant	Yes
Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	14A19/COR/940/FR/P/E26/DIM/T20 6/1CT
Full product name	14A19/COR/940/FR/P/E26/DIM/T20 6/1CT



Order code	929003784804
Material Nr. (12NC)	929003784804
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.048 kg
EAN/UPC - Product/Case	046677588663
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677588668

Dimensional drawing



Product	D	C
14A19/COR/940/FR/P/E26/DIM/T20 6/1CT	60 mm	117 mm

Photometric data



Spectral Power Distribution Colour - 14A19/COR/940/FR/P/E26/DIM/T20 6/1CT

Light Distribution Diagram - 14A19/COR/940/FR/P/E26/DIM/T20 6/1CT

