# INDUSTRIAL PACKAGES, TYPE 12



## INDUSTRY STANDARDS

| |
|---|
| UL 508A Listed; Type 12; File Number E61997 |

NEMA/EEMAC Type 12
CSA File Number 42186; Type 12
VDE IP55
IEC 60529, IP55

## APPLICATION

ProLine G2 Industrial Packages are full-featured, ready-to-use enclosure solutions that make it unnecessary to order each component separately. For convenience, a single part number includes a frame, solid door(s), handle and key lock, a solid top, a solid rear cover, a full mounting subpanel, a gland plate, and four lifting eyes. Side covers ordered separately to accommodate joining/baying applications.

## FEATURES

(Refer to separate specifications for more complete details of individual components)

- 12 gauge, roll-formed steel frame with welded steel corners and hybrid frame profile for superior performance under load
- Large galvanized mounting subpanel
- EZ-Load Glide Blocks, which accommodate five loading methods
- Smooth glide latching system for a solid seal with a low closure force
- Galvanized Duro-Stand gland plate
- Wide range of standard size options
- 'E' version (right-hinged and double-bit insert key lock)

## SPECIFICATIONS

(Refer to separate specification sheets for more complete details of individual components)

**Frame**

- 12-gauge (2.5 mm) roll formed steel frame, fully welded corners, hybrid profile
- Accommodate the 25-mm DIN standard and include rectangular and round holes

**Gasket**

- Seamless polyurethane gasket provides a watertight, dust-tight seal against moisture and contaminants
- UL component recognized, CSA compliant
- Sealed mounting for all external accessories

**Doors**

- Door bar system on all doors (including window doors)
- Single/primary door includes 3-point roller latch system with timed latch engagement for enclosures ≥1000 mm in height
- 2-door enclosures include overlapping double doors to provide full-width open front; secondary door latches with two levers
- Reversible hinging on single doors (default left hinge)
- Reversible hinging on overlapping double doors (default right door primary door)
- Two grounding studs
- Low-Profile Swing Handle with key lock on standard versions; double bit lock on 'E' versions. Other options available.

**Mounting subpanel**

- Includes EZ-Load Mounting Blocks, which accommodate five loading options: vertical front, vertical side, vertical rear, horizontal front (frame over subpanel), horizontal rear (subpanel lowered into frame)
- Subpanel is securely fastened to the top and bottom of the frame. Enclosures less than 1200 mm tall use 4 sets of EZ-Load Glide Blocks. Enclosures 1200 mm tall or greater use 8 sets of glide blocks for a well secured subpanel.
- Depth adjustable, accommodates back-to-back subpanels
- Galvanized full subpanel default; painted subpanel available

**EMC Industrial Packages – Additional Specifications:**

- Plated to provide corrosion resistance while maintaining a metal-to-metal contact with the metal fiber gasket
- Metalized non-woven fabric EMI/RFI material covering UL94HP rated urethane foam gasket
- Plating exposed in interior and paint over plated exterior
- All plated accessories electrically bonded to frame
- Longer lead times required for EMC items

## FINISH

- Polyester powder paint; RAL 7035 textured light gray standard
- Custom colors available

## ACCESSORIES

- Side Cover
- Side Door Adaptor
- Full Subpanel (Rear or Side)
- Partial Subpanel and Side-Mount Panel
- Panel Support Bracket
- Joining Subpanel
- Grid Strap Network (Rail System)
- Center Upright
- Support Bracket Kit
- Plinth Base
- Fully-Sealed Plinth Base
- Caster Kit
- Frame Joining Kits
- Joining Kit Support Bracket
- Dust Cover
- Flush Swing Handles
- Steel Data Pocket
- 19-Inch Rack Angles
- Pagoda Top
- Lifting Angles
- Barrier Panel
- Mechanical Interlock
- ProLine Grounding Kit

**BULLETIN: P41**

## Standard Product **Left-Hinged**

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2K664 | 602 x 608 x 405<br>23.70 x 23.92 x 15.94 | 600<br>23.6 | 600<br>23.6 | 400<br>15.7 | 506x528<br>19.9x20.8 | 1 | 8 | Key Lock |
| P2K666 | 602 x 608 x 605<br>23.70 x 23.92 x 23.82 | 600<br>23.6 | 600<br>23.6 | 600<br>23.6 | 506x528<br>19.9x20.8 | 1 | 8 | Key Lock |
| P2K688 | 602 x 808 x 805<br>23.70 x 31.80 x 31.69 | 600<br>23.6 | 800<br>31.5 | 800<br>31.5 | 506x728<br>19.9x28.7 | 1 | 8 | Key Lock |
| P2K866 | 802 x 608 x 605<br>31.57 x 23.92 x 23.82 | 800<br>31.5 | 600<br>23.6 | 600<br>23.6 | 706x528<br>27.8x20.8 | 1 | 13 | Key Lock |
| P2K888 | 802 x 808 x 805<br>31.57 x 31.80 x 31.69 | 800<br>31.5 | 800<br>31.5 | 800<br>31.5 | 706x728<br>27.8x28.7 | 1 | 13 | Key Lock |
| P2K1064 | 1002 x 608 x 405<br>39.45 x 23.92 x 15.94 | 1000<br>39.4 | 600<br>23.6 | 400<br>15.7 | 906x528<br>35.7x20.8 | 1 | 18 | Key Lock |
| P2K1065 | 1002 x 608 x 505<br>39.45 x 23.92 x 19.88 | 1000<br>39.4 | 600<br>23.6 | 500<br>19.7 | 906x528<br>35.7x20.8 | 1 | 18 | Key Lock |
| P2K1066 | 1002 x 608 x 605<br>39.45 x 23.92 x 23.82 | 1000<br>39.4 | 600<br>23.6 | 600<br>23.6 | 906x528<br>35.7x20.8 | 1 | 18 | Key Lock |
| P2K1085 | 1002 x 808 x 505<br>39.45 x 31.80 x 19.88 | 1000<br>39.4 | 800<br>31.5 | 500<br>19.7 | 906x728<br>35.7x28.7 | 1 | 18 | Key Lock |
| P2K1086 | 1002 x 808 x 605<br>39.45 x 31.80 x 23.82 | 1000<br>39.4 | 800<br>31.5 | 600<br>23.6 | 906x728<br>35.7x28.7 | 1 | 18 | Key Lock |
| P2K1088 | 1002 x 808 x 805<br>39.45 x 31.80 x 31.69 | 1000<br>39.4 | 800<br>31.5 | 800<br>31.5 | 906x728<br>35.7x28.17 | 1 | 18 | Key Lock |
| P2K1264 | 1202 x 608 x 405<br>47.32 x 23.92 x 15.94 | 1200<br>47.2 | 600<br>23.6 | 400<br>15.7 | 1106x528<br>43.5x20.8 | 1 | 23 | Key Lock |
| P2K1265 | 1202 x 608 x 505<br>47.32 x 23.92 x 19.88 | 1200<br>47.2 | 600<br>23.6 | 500<br>19.7 | 1106x528<br>43.5x20.8 | 1 | 23 | Key Lock |
| P2K1266 | 1202 x 608 x 605<br>47.32 x 23.92 x 23.82 | 1200<br>47.2 | 600<br>23.6 | 600<br>23.6 | 1106x528<br>43.5x20.8 | 1 | 23 | Key Lock |
| P2K1285 | 1202 x 808 x 505<br>47.32 x 31.80 x 19.88 | 1200<br>47.2 | 800<br>31.5 | 500<br>19.7 | 1106x728<br>43.5x28.7 | 1 | 23 | Key Lock |
| P2K1286 | 1202 x 808 x 605<br>47.32 x 31.80 x 23.82 | 1200<br>47.2 | 800<br>31.5 | 600<br>23.6 | 1106x728<br>43.5x28.7 | 1 | 23 | Key Lock |
| P2K1288 | 1202 x 808 x 805<br>47.32 x 31.80 x 31.69 | 1200<br>47.2 | 800<br>31.5 | 800<br>31.5 | 1106x728<br>43.5x28.7 | 1 | 23 | Key Lock |
| P2KOD12125 | 1202 x 1208 x 505<br>47.32 x 47.54 x 19.88 | 1200<br>47.2 | 1200<br>47.2 | 500<br>19.7 | 1106x1128<br>43.5x44.4 | 2 | 23 | Key Lock |
| P2K1465 | 1402 x 608 x 505<br>55.20 x 23.92 x 19.88 | 1400<br>55.1 | 600<br>23.6 | 500<br>19.7 | 1306x528<br>51.4x20.8 | 1 | 28 | Key Lock |
| P2K1466 | 1402 x 608 x 605<br>55.20 x 23.92 x 23.82 | 1400<br>55.1 | 600<br>23.6 | 600<br>23.6 | 1306x528<br>51.4x20.8 | 1 | 28 | Key Lock |
| P2K1466HF | 1402 x 608 x 605<br>55.20 x 23.92 x 23.82 | 1400<br>55.1 | 600<br>23.6 | 600<br>23.6 | 1306x528<br>51.4x20.8 | 1 | 28 | EMC, Key Lock |
| P2K1485 | 1402 x 808 x 505<br>55.20 x 31.80 x 19.88 | 1400<br>55.1 | 800<br>31.5 | 500<br>19.7 | 1306x728<br>51.4x28.7 | 1 | 28 | Key Lock |
| P2K1486 | 1402 x 808 x 605<br>55.20 x 31.80 x 23.82 | 1400<br>55.1 | 800<br>31.5 | 600<br>23.6 | 1306x728<br>51.4x28.7 | 1 | 28 | Key Lock |
| P2K1488 | 1402 x 808 x 805<br>55.20 x 31.80 x 31.69 | 1400<br>55.1 | 800<br>31.5 | 800<br>31.5 | 1306x728<br>51.4x28.7 | 1 | 28 | Key Lock |
| P2KOD14125 | 1402 x 1208 x 505<br>55.20 x 47.54 x 19.88 | 1400<br>55.1 | 1200<br>47.2 | 500<br>19.7 | 1306x1128<br>51.4x44.4 | 2 | 28 | Key Lock |
| P2K1664 | 1602 x 608 x 405<br>63.07 x 23.92 x 15.94 | 1600<br>63.0 | 600<br>23.6 | 400<br>15.9 | 1506x528<br>59.3x20.8 | 1 | 33 | Key Lock |
| P2K1665 | 1602 x 608 x 505<br>63.07 x 23.92 x 19.88 | 1600<br>63.0 | 600<br>23.6 | 500<br>19.7 | 1506x528<br>59.3x20.8 | 1 | 33 | Key Lock |
| P2K1666 | 1602 x 608 x 605<br>63.07 x 23.92 x 23.82 | 1600<br>63.0 | 600<br>23.6 | 600<br>23.6 | 1506x528<br>59.3x20.8 | 1 | 33 | Key Lock |
| P2K1668 | 1602 x 608 x 805<br>63.07 x 23.92 x 31.69 | 1600<br>63.0 | 600<br>23.6 | 800<br>31.5 | 1506x528<br>59.3x20.8 | 1 | 33 | Key Lock |
| P2K1684 | 1602 x 808 x 405<br>63.07 x 31.80 x 15.94 | 1600<br>63.0 | 800<br>31.5 | 400<br>15.7 | 1506x728<br>59.3x28.7 | 1 | 33 | Key Lock |
| P2K1685 | 1602 x 808 x 505<br>63.07 x 31.80 x 19.88 | 1600<br>63.0 | 800<br>31.5 | 500<br>19.7 | 1506x728<br>59.3x28.7 | 1 | 33 | Key Lock |
| P2K1686 | 1602 x 808 x 605<br>63.07 x 31.80 x 23.82 | 1600<br>63.0 | 800<br>31.5 | 600<br>23.6 | 1506x728<br>59.3x28.7 | 1 | 33 | Key Lock |
| P2K1688 | 1602 x 808 x 805<br>63.07 x 31.80 x 31.69 | 1600<br>63.0 | 800<br>31.5 | 800<br>31.5 | 1506x728<br>59.3x28.7 | 1 | 33 | Key Lock |
| P2KOD16124 | 1602 x 1208 x 405<br>63.07 x 47.54 x 15.94 | 1600<br>63.0 | 1200<br>47.2 | 400<br>15.7 | 1506x1128<br>59.3x44.4 | 2 | 33 | Key Lock |
| P2KOD16125 | 1602 x 1208 x 505<br>63.07 x 47.54 x 19.88 | 1600<br>63.0 | 1200<br>47.2 | 500<br>19.7 | 1506x1128<br>59.3x44.4 | 2 | 33 | Key Lock |
| P2KOD16126 | 1602 x 1208 x 605<br>63.07 x 47.54 x 23.82 | 1600<br>63.10 | 1200<br>47.2 | 600<br>23.6 | 1506x1128<br>59.3x44.4 | 2 | 33 | Key Lock |
| P2KOD16128 | 1602 x 1208 x 805<br>63.07 x 47.54 x 31.69 | 1600<br>63.0 | 1200<br>47.2 | 800<br>31.5 | 1506x1128<br>59.3x44.4 | 2 | 33 | Key Lock |
| P2KOD16164 | 1602 x 1608 x 405<br>63.07 x 63.29 x 15.94 | 1600<br>63.0 | 1600<br>63.0 | 400<br>15.7 | 1506x1528<br>59.3x60.2 | 2 | 33 | Key Lock |
| P2KOD16165 | 1602 x 1608 x 505<br>63.07 x 63.29 x 19.88 | 1600<br>63.0 | 1600<br>63.0 | 500<br>19.7 | 1506x1528<br>59.3x60.2 | 2 | 33 | Key Lock |
| P2KOD16166 | 1602 x 1608 x 605<br>63.07 x 63.29 x 23.82 | 1600<br>63.0 | 1600<br>63.0 | 600<br>23.6 | 1506x1528<br>59.3x60.2 | 2 | 33 | Key Lock |
| P2KOD16168 | 1602 x 1608 x 805<br>63.07 x 63.29 x 31.69 | 1600<br>63.0 | 1600<br>63.0 | 800<br>31.5 | 1506x1528<br>59.3x60.2 | 2 | 33 | Key Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2K1845 | 1802 x 408 x 505<br>70.94 x 16.05 x 19.88 | 1800<br>70.9 | 400<br>15.7 | 500<br>19.7 | 1706x328<br>67.2x12.9 | 1 | 38 | Key Lock |
| P2K1846 | 1802 x 408 x 605<br>70.94 x 16.05 x 23.82 | 1800<br>70.9 | 400<br>15.7 | 600<br>23.6 | 1706x328<br>67.2x12.9 | 1 | 38 | Key Lock |
| P2K1864 | 1802 x 608 x 405<br>70.94 x 23.92 x 15.94 | 1800<br>70.9 | 600<br>23.6 | 400<br>15.7 | 1706x528<br>67.2x20.8 | 1 | 38 | Key Lock |
| P2K1865 | 1802 x 608 x 505<br>70.94 x 23.92 x 19.88 | 1800<br>70.9 | 600<br>23.6 | 500<br>19.7 | 1706x528<br>67.2x20.8 | 1 | 38 | Key Lock |
| P2K1866 | 1802 x 608 x 605<br>70.94 x 23.92 x 23.82 | 1800<br>70.9 | 600<br>23.6 | 600<br>23.6 | 1706x528<br>67.2x20.8 | 1 | 38 | Key Lock |
| P2K1866HF | 1802 x 608 x 605<br>70.94 x 23.92 x 23.82 | 1800<br>70.9 | 600<br>23.6 | 600<br>23.6 | 1706x528<br>67.2x20.8 | 1 | | EMC, Key Lock |
| P2K1868 | 1802 x 608 x 805<br>70.94 x 23.92 x 31.69 | 1800<br>70.9 | 600<br>23.6 | 800<br>31.5 | 1706x528<br>67.2x12.9 | 1 | 38 | Key Lock |
| P2K1884 | 1802 x 808 x 405<br>70.94 x 31.80 x 15.94 | 1800<br>70.9 | 800<br>31.5 | 400<br>15.7 | 1706x728<br>67.2x28.7 | 1 | 38 | Key Lock |
| P2K1885 | 1802 x 808 x 505<br>70.94 x 31.80 x 19.88 | 1800<br>70.9 | 800<br>31.5 | 500<br>19.7 | 1706x728<br>67.2x28.7 | 1 | 38 | Key Lock |
| P2KOD1885 | 1802 x 808 x 505<br>70.94 x 31.80 x 19.88 | 1800<br>70.9 | 800<br>31.5 | 500<br>19.7 | 1706x728<br>67.2x28.7 | 2 | 38 | Key Lock |
| P2K1886 | 1802 x 808 x 605<br>70.94 x 31.80 x 23.82 | 1800<br>70.9 | 800<br>31.5 | 600<br>23.6 | 1706x728<br>67.2x28.7 | 1 | 38 | Key Lock |
| P2KOD1886 | 1802 x 808 x 605<br>70.94 x 31.80 x 23.82 | 1800<br>70.9 | 800<br>31.5 | 600<br>23.6 | 1706x728<br>67.2x28.7 | 2 | 38 | Key Lock |
| P2K1888 | 1802 x 808 x 805<br>70.94 x 31.80 x 31.69 | 1800<br>70.9 | 800<br>31.5 | 800<br>31.5 | 1706x728<br>67.2x28.7 | 1 | 38 | Key Lock |
| P2K18104 | 1802 x 1008 x 405<br>70.94 x 39.67 x 15.94 | 1800<br>70.9 | 1000<br>39.4 | 400<br>15.7 | 1706x928<br>67.2x36.5 | 1 | 38 | Key Lock |
| P2KOD18104 | 1802 x 1008 x 405<br>70.94 x 39.67 x 15.94 | 1800<br>70.9 | 1000<br>39.4 | 400<br>15.7 | 1706x928<br>67.2x36.5 | 2 | 38 | Key Lock |
| P2K18105 | 1802 x 1008 x 505<br>70.94 x 39.67 x 19.88 | 1800<br>70.9 | 1000<br>39.4 | 500<br>19.7 | 1706x928<br>67.2x36.5 | 1 | 38 | Key Lock |
| P2KOD18105 | 1802 x 1008 x 505<br>70.94 x 39.67 x 19.88 | 1800<br>70.9 | 1000<br>39.4 | 500<br>19.7 | 1706x928<br>67.2x36.5 | 2 | 38 | Key Lock |
| P2K18106 | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 1 | 38 | Key Lock |
| P2K18106HF | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 1 | 38 | EMC, Key Lock |
| P2KOD18106 | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 2 | 38 | Key Lock |
| P2KOD18106HF | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 2 | 38 | EMC, Key Lock |
| P2K18108 | 1802 x 1008 x 805<br>70.94 x 39.67 x 31.69 | 1800<br>70.9 | 1000<br>39.4 | 800<br>31.5 | 1706x928<br>67.2x36.5 | 1 | 38 | Key Lock |
| P2KOD18108 | 1802 x 1008 x 805<br>70.94 x 39.67 x 31.69 | 1800<br>70.9 | 1000<br>39.4 | 800<br>31.5 | 1706x928<br>67.2x36.5 | 2 | 38 | Key Lock |
| P2KOD18124 | 1802 x 1208 x 405<br>70.94 x 47.54 x 15.94 | 1800<br>70.9 | 1200<br>47.2 | 400<br>15.7 | 1706x1128<br>67.2x44.4 | 2 | 38 | Key Lock |
| P2KOD18125 | 1802 x 1208 x 505<br>70.94 x 47.54 x 19.88 | 1800<br>70.9 | 1200<br>47.2 | 500<br>19.7 | 1706x1128<br>67.2x44.4 | 2 | 38 | Key Lock |
| P2KOD18126 | 1802 x 1208 x 605<br>70.94 x 47.54 x 23.82 | 1800<br>70.9 | 1200<br>47.2 | 600<br>23.6 | 1706x1128<br>67.2x44.4 | 2 | 38 | Key Lock |
| P2KOD18128 | 1802 x 1208 x 805<br>70.94 x 47.54 x 31.69 | 1800<br>70.9 | 1200<br>47.2 | 800<br>31.5 | 1706x1128<br>67.2x44.4 | 2 | 38 | Key Lock |
| P2KOD18164 | 1802 x 1608 x 405<br>70.94 x 63.29 x 15.94 | 1800<br>70.9 | 1600<br>63.0 | 400<br>15.7 | 1706x1528<br>67.2x60.2 | 2 | 38 | Key Lock |
| P2KOD18165 | 1802 x 1608 x 505<br>70.94 x 63.29 x 19.88 | 1800<br>70.9 | 1600<br>63.0 | 500<br>19.7 | 1706x1528<br>67.2x60.2 | 2 | 38 | Key Lock |
| P2KOD18166 | 1802 x 1608 x 605<br>70.94 x 63.29 x 23.82 | 1800<br>70.9 | 1600<br>63.0 | 600<br>23.6 | 1706x1528<br>67.2x60.2 | 2 | 38 | Key Lock |
| P2KOD18168 | 1802 x 1608 x 805<br>70.94 x 63.29 x 31.69 | 1800<br>70.9 | 1600<br>63.0 | 800<br>31.5 | 1706x1528<br>67.2x60.2 | 2 | 38 | Key Lock |
| P2KOD18185 | 1802 x 1808 x 505<br>70.94 x 71.17 x 19.88 | 1800<br>70.9 | 1800<br>70.9 | 500<br>19.7 | 1706x1728<br>67.2x68.0 | 2 | 38 | Key Lock |
| P2KOD18186 | 1802 x 1808 x 605<br>70.94 x 71.17 x 23.82 | 1800<br>70.9 | 1800<br>70.9 | 600<br>23.6 | 1706x1728<br>67.2x68.0 | 2 | 38 | Key Lock |
| P2KOD18188 | 1802 x 1808 x 805<br>70.94 x 71.17 x 31.69 | 1800<br>70.9 | 1800<br>70.9 | 800<br>31.5 | 1706x1728<br>67.2x68.0 | 2 | 38 | Key Lock |
| P2K2045 | 2002 x 408 x 505<br>78.82 x 16.05 x 19.88 | 2000<br>78.7 | 400<br>15.7 | 500<br>19.7 | 1906x328<br>75x12.9 | 1 | 42 | Key Lock |
| P2K2046 | 2002 x 408 x 605<br>78.82 x 16.05 x 23.82 | 2000<br>78.7 | 400<br>15.7 | 600<br>23.6 | 1906x328<br>75x12.9 | 1 | 42 | Key Lock |
| P2K2064 | 2002 x 608 x 405<br>78.82 x 23.92 x 15.94 | 2000<br>78.7 | 600<br>23.6 | 400<br>15.7 | 1906x528<br>75x20.8 | 1 | 42 | Key Lock |
| P2K2065 | 2002 x 608 x 505<br>78.82 x 23.92 x 19.88 | 2000<br>78.7 | 600<br>23.6 | 500<br>19.7 | 1906x528<br>75x20.8 | 1 | 42 | Key Lock |
| P2K2066 | 2002 x 608 x 605<br>78.82 x 23.92 x 23.82 | 2000<br>78.7 | 600<br>23.6 | 600<br>23.6 | 1906x528<br>75x20.8 | 1 | 42 | Key Lock |
| P2K2066HF | 2002 x 608 x 605<br>78.82 x 23.92 x 23.82 | 2000<br>78.7 | 600<br>23.6 | 600<br>23.6 | 1906x528<br>75x20.8 | 1 | 42 | EMC, Key Lock |
| P2K2068 | 2002 x 608 x 805<br>78.82 x 23.92 x 31.69 | 2000<br>78.7 | 600<br>23.6 | 800<br>31.5 | 1906x528<br>75x20.8 | 1 | 42 | Key Lock |
| P2K2084 | 2002 x 808 x 405<br>78.82 x 31.80 x 15.94 | 2000<br>78.7 | 800<br>31.5 | 400<br>15.7 | 1906x728<br>75x28.7 | 1 | 42 | Key Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2KOD2084 | 2002 x 808 x 405<br>78.82 x 31.80 x 15.94 | 2000<br>78.7 | 800<br>31.5 | 400<br>15.7 | 1906x728<br>75x28.7 | 2 | 42 | Key Lock |
| P2K2085 | 2002 x 808 x 505<br>78.82 x 31.80 x 19.88 | 2000<br>78.7 | 800<br>31.5 | 500<br>19.7 | 1906x728<br>75x28.7 | 1 | 42 | Key Lock |
| P2KOD2085 | 2002 x 808 x 505<br>78.82 x 31.80 x 19.88 | 2000<br>78.7 | 800<br>31.5 | 500<br>19.7 | 1906x728<br>75x28.7 | 2 | 42 | Key Lock |
| P2K2086 | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 1 | 42 | Key Lock |
| P2K2086HF | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800 | 600<br>23.6 | 1906x728<br>75x28.7 | 1 | 42 | EMC, Key Lock |
| P2KOD2086 | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 2 | 42 | Key Lock |
| P2KOD2086HF | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800 | 600<br>23.6 | 1906x728<br>75x28.7 | 2 | 42 | EMC, Key Lock |
| P2K2088 | 2002 x 808 x 805<br>78.82 x 31.80 x 31.69 | 2000<br>78.7 | 800<br>31.5 | 800<br>31.5 | 1906x728<br>75x28.7 | 1 | 42 | Key Lock |
| P2KOD2088 | 2002 x 808 x 805<br>78.82 x 31.80 x 31.69 | 2000<br>78.7 | 800<br>31.5 | 800<br>31.5 | 1906x728<br>75x28.7 | 2 | 42 | Key Lock |
| P2K20810 | 2002 x 808 x 1005<br>78.82 x 31.80 x 39.57 | 2000<br>78.7 | 800<br>31.5 | 1000<br>39.4 | 1906x728<br>75x28.7 | 1 | 42 | Key Lock |
| P2KOD20810 | 2002 x 808 x 1005<br>78.82 x 31.80 x 39.57 | 2000<br>78.7 | 800<br>31.5 | 1000<br>39.4 | 1906x728<br>75x28.7 | 2 | 42 | Key Lock |
| P2K20105 | 2002 x 1008 x 505<br>78.82 x 39.67 x 19.88 | 2000<br>78.7 | 1000<br>39.4 | 500<br>19.7 | 1906x928<br>75x36.5 | 1 | 42 | Key Lock |
| P2KOD20105 | 2002 x 1008 x 505<br>78.82 x 39.67 x 19.88 | 2000<br>78.7 | 1000<br>39.4 | 500<br>19.7 | 1906x928<br>75x36.5 | 2 | 42 | Key Lock |
| P2K20106 | 2002 x 1008 x 605<br>78.82 x 39.67 x 23.82 | 2000<br>78.7 | 1000<br>39.4 | 600<br>23.6 | 1906x928<br>75x36.5 | 1 | 42 | Key Lock |
| P2KOD20106 | 2002 x 1008 x 605<br>78.82 x 39.67 x 23.82 | 2000<br>78.7 | 1000<br>39.4 | 600<br>23.6 | 1906x928<br>75x36.5 | 2 | 42 | Key Lock |
| P2K20104 | 2002 x 1008 x 405<br>78.82 x 39.67 x 15.94 | 2000<br>78.7 | 1000<br>39.4 | 400<br>15.7 | 1906x928<br>75x36.5 | 1 | 42 | Key Lock |
| P2K20108 | 2002 x 1008 x 805<br>78.82 x 39.67 x 31.69 | 2000<br>78.7 | 1000<br>39.4 | 800<br>31.5 | 1906x928<br>75x36.5 | 1 | 42 | Key Lock |
| P2KOD20108 | 2002 x 1008 x 805<br>78.82 x 39.67 x 31.69 | 2000<br>78.7 | 1000<br>39.4 | 800<br>31.5 | 1906x928<br>75x36.5 | 2 | 42 | Key Lock |
| P2KOD20124 | 2002 x 1208 x 405<br>78.82 x 47.54 x 15.94 | 2000<br>78.7 | 1200<br>47.2 | 400<br>15.7 | 1906x1128<br>75x44.4 | 2 | 42 | Key Lock |
| P2KOD20125 | 2002 x 1208 x 505<br>78.82 x 47.54 x 19.88 | 2000<br>78.7 | 1200<br>47.2 | 500<br>19.7 | 1906x1128<br>75x44.4 | 2 | 42 | Key Lock |
| P2KOD20126 | 2002 x 1208 x 605<br>78.82 x 47.54 x 23.82 | 2000<br>78.7 | 1200<br>47.2 | 600<br>23.6 | 1906x1128<br>75x44.4 | 2 | 42 | Key Lock |
| P2KOD20128 | 2002 x 1208 x 805<br>78.82 x 47.54 x 31.69 | 2000<br>78.7 | 1200<br>47.2 | 800<br>31.5 | 1906x1128<br>75x44.4 | 2 | 42 | Key Lock |
| P2KOD20165 | 2002 x 1608 x 505<br>78.82 x 63.29 x 19.88 | 2000<br>78.7 | 1600<br>63.0 | 500<br>19.7 | 1906x1528<br>75x60.2 | 2 | 42 | Key Lock |
| P2KOD20166 | 2002 x 1608 x 605<br>78.82 x 63.29 x 23.82 | 2000<br>78.7 | 1600<br>63.0 | 600<br>23.6 | 1906x1528<br>75x60.2 | 2 | 42 | Key Lock |
| P2KOD20168 | 2002 x 1608 x 805<br>78.82 x 63.29 x 31.69 | 2000<br>78.7 | 1600<br>63.0 | 800<br>31.5 | 1906x1528<br>75x60.2 | 2 | 42 | Key Lock |
| P2KOD20185 | 2002 x 1808 x 505<br>78.82 x 71.17 x 19.88 | 2000<br>78.7 | 1800<br>70.9 | 500<br>19.7 | 1906x1728<br>75x68.0 | 2 | 42 | Key Lock |
| P2KOD20186 | 2002 x 1808 x 605<br>78.82 x 71.17 x 23.82 | 2000<br>78.7 | 1800<br>70.9 | 600<br>23.6 | 1906x1728<br>75x68.0 | 2 | 42 | Key Lock |
| P2KOD20188 | 2002 x 1808 x 805<br>78.82 x 71.17 x 31.69 | 2000<br>78.7 | 1800<br>70.9 | 800<br>31.5 | 1906x1728<br>75x68.0 | 2 | 42 | Key Lock |
| P2K2265 | 2202 x 608 x 505<br>86.69 x 23.92 x 19.88 | 2200<br>86.6 | 600<br>23.6 | 500<br>19.7 | 2106x528<br>82.9x20.8 | 1 | 47 | Key Lock |
| P2K2266 | 2202 x 608 x 605<br>86.69 x 23.92 x 23.82 | 2200<br>86.6 | 600<br>23.6 | 600<br>23.6 | 2106x528<br>82.9x20.8 | 1 | 47 | Key Lock |
| P2K2266HF | 2202 x 608 x 605<br>86.69 x 23.92 x 23.82 | 2200<br>86.6 | 600<br>23.6 | 600<br>23.6 | 2106x528<br>82.9x20.8 | 1 | 47 | EMC, Key Lock |
| P2K2268 | 2202 x 608 x 805<br>86.69 x 23.92 x 31.69 | 2200<br>86.6 | 600<br>23.6 | 800<br>31.5 | 2106x528<br>82.9x20.8 | 1 | 47 | Key Lock |
| P2K2285 | 2202 x 808 x 505<br>86.69 x 31.80 x 19.88 | 2200<br>86.6 | 800<br>31.5 | 500<br>19.7 | 2106x728<br>82.9x28.7 | 1 | 47 | Key Lock |
| P2K2286 | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 1 | 47 | Key Lock |
| P2K2286HF | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 1 | 47 | EMC, Key Lock |
| P2KOD2286 | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 2 | 47 | Key Lock |
| P2KOD2286HF | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 2 | 47 | EMC, Key Lock |
| P2K2288 | 2202 x 808 x 805<br>86.69 x 31.80 x 31.69 | 2200<br>86.6 | 800<br>31.5 | 800<br>31.5 | 2106x728<br>82.9x28.7 | 1 | 47 | Key Lock |
| P2KOD2288 | 2202 x 808 x 805<br>86.69 x 31.80 x 31.69 | 2200<br>86.6 | 800<br>31.5 | 800<br>31.5 | 2106x728<br>82.9x28.7 | 2 | 47 | Key Lock |
| P2K22810 | 2202 x 808 x 1005<br>86.69 x 31.80 x 39.57 | 2200<br>86.6 | 800<br>31.5 | 1000<br>39.4 | 2106x728<br>82.9x28.7 | 1 | 47 | Key Lock |
| P2KOD22810 | 2202 x 808 x 1005<br>86.69 x 31.80 x 39.57 | 2200<br>86.6 | 800<br>31.5 | 1000<br>39.4 | 2106x728<br>82.9x28.7 | 2 | 47 | Key Lock |
| P2K22105 | 2202 x 1008 x 505<br>86.69 x 39.67 x 19.88 | 2200<br>86.6 | 1000<br>39.4 | 500<br>19.7 | 2106x928<br>82.9x36.5 | 1 | 47 | Key Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2KOD22105 | 2202 x 1008 x 505<br>86.69 x 39.67 x 19.88 | 2200<br>86.6 | 1000<br>39.4 | 500<br>19.7 | 2106x928<br>82.9x36.5 | 2 | 47 | Key Lock |
| P2K22106 | 2202 x 1008 x 605<br>86.69 x 39.67 x 23.82 | 2200<br>86.6 | 1000<br>39.4 | 600<br>23.6 | 2106x928<br>82.9x20.8 | 1 | 47 | Key Lock |
| P2KOD22106 | 2202 x 1008 x 605<br>86.69 x 39.67 x 23.82 | 2200<br>86.6 | 1000<br>39.4 | 600<br>23.6 | 2106x928<br>82.9x36.5 | 2 | 47 | Key Lock |
| P2K22108 | 2202 x 1008 x 805<br>86.69 x 39.67 x 31.69 | 2200<br>86.6 | 1000<br>39.4 | 800<br>31.5 | 2106x928<br>82.9x36.5 | 1 | 47 | Key Lock |
| P2KOD22108 | 2202 x 1008 x 805<br>86.69 x 39.67 x 31.69 | 2200<br>86.6 | 1000<br>39.4 | 800<br>31.5 | 2106x928<br>82.9x36.5 | 2 | 47 | Key Lock |
| P2KOD22125 | 2202 x 1208 x 505<br>86.69 x 47.54 x 19.88 | 2200<br>86.6 | 1200<br>47.2 | 500<br>19.7 | 2106x1128<br>82.9x44.4 | 2 | 47 | Key Lock |
| P2KOD22126 | 2202 x 1208 x 605<br>86.69 x 47.54 x 23.82 | 2200<br>86.6 | 1200<br>47.2 | 600<br>23.6 | 2106x1128<br>82.9x44.4 | 2 | 47 | Key Lock |
| P2KOD22128 | 2202 x 1208 x 805<br>86.69 x 47.54 x 31.69 | 2200<br>86.6 | 1200<br>47.2 | 800<br>31.5 | 2106x1128<br>82.9x44.4 | 2 | 47 | Key Lock |
| P2KOD22165 | 2202 x 1608 x 505<br>86.69 x 63.29 x 19.88 | 2200<br>86.6 | 1600<br>63.0 | 500<br>19.7 | 2106x1528<br>82.9x60.2 | 2 | 47 | Key Lock |
| P2KOD22166 | 2202 x 1608 x 605<br>86.69 x 63.29 x 23.82 | 2200<br>86.6 | 1600<br>63.0 | 600<br>23.6 | 2106x1528<br>82.9x60.2 | 2 | 47 | Key Lock |
| P2KOD22168 | 2202 x 1608 x 805<br>86.69 x 63.29 x 31.69 | 2200<br>86.6 | 1600<br>63.0 | 800<br>31.5 | 2106x1528<br>82.9x60.2 | 2 | 47 | Key Lock |
| P2KOD22185 | 2202 x 1808 x 505<br>86.69 x 71.17 x 19.88 | 2200<br>86.6 | 1800<br>70.9 | 500<br>19.7 | 2106x1728<br>82.9x68.0 | 2 | 47 | Key Lock |
| P2KOD22186 | 2202 x 1808 x 605<br>86.69 x 71.17 x 23.82 | 2200<br>86.6 | 1800<br>70.9 | 600<br>23.6 | 2106x1728<br>82.9x68.0 | 2 | 47 | Key Lock |
| P2KOD22188 | 2202 x 1808 x 805<br>86.69 x 71.17 x 31.69 | 2200<br>86.6 | 1800<br>70.9 | 800<br>31.5 | 2106x1728<br>82.9x68.0 | 2 | 47 | Key Lock |

HxWxD are nominal height, width and depth dimensions.

## Standard Product **Right-Hinged**


| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2K664E | 602 x 608 x 405<br>23.70 x 23.92 x 15.94 | 600<br>23.6 | 600<br>23.6 | 400<br>15.7 | 506x528<br>19.9x20.8 | 1 | 8 | Double-Bit Lock |
| P2K666E | 602 x 608 x 605<br>23.70 x 23.92 x 23.82 | 600<br>23.6 | 600<br>23.6 | 600<br>23.6 | 506x528<br>19.9x20.8 | 1 | 8 | Double-Bit Lock |
| P2K688E | 602 x 808 x 805<br>23.70 x 31.80 x 31.69 | 600<br>23.6 | 800<br>31.5 | 800<br>31.5 | 506x728<br>19.9x28.7 | 1 | 8 | Double-Bit Lock |
| P2K866E | 802 x 608 x 605<br>31.57 x 23.92 x 23.82 | 800<br>31.5 | 600<br>23.6 | 600<br>23.6 | 706x528<br>27.8x20.8 | 1 | 13 | Double-Bit Lock |
| P2K888E | 802 x 808 x 805<br>31.57 x 31.80 x 31.69 | 800<br>31.5 | 800<br>31.5 | 800<br>31.5 | 706x728<br>27.8x28.7 | 1 | 13 | Double-Bit Lock |
| P2K1065E | 1002 x 608 x 505<br>39.45 x 23.92 x 19.88 | 1000<br>39.4 | 600<br>23.6 | 500<br>19.7 | 906x528<br>35.7x20.8 | 1 | 18 | Double-Bit Lock |
| P2K1066E | 1002 x 608 x 605<br>39.45 x 23.92 x 23.82 | 1000<br>39.4 | 600<br>23.6 | 600<br>23.6 | 906x528<br>35.7x20.8 | 1 | 18 | Double-Bit Lock |
| P2K1085E | 1002 x 808 x 505<br>39.45 x 31.80 x 19.88 | 1000<br>39.4 | 800<br>31.5 | 500<br>19.7 | 906x728<br>35.7x28.7 | 1 | 18 | Double-Bit Lock |
| P2K1086E | 1002 x 808 x 605<br>39.45 x 31.80 x 23.82 | 1000<br>39.4 | 800<br>31.5 | 600<br>23.6 | 906x728<br>35.7x28.7 | 1 | 18 | Double-Bit Lock |
| P2K1088E | 1002 x 808 x 805<br>39.45 x 31.80 x 31.69 | 1000<br>39.4 | 800<br>31.5 | 800<br>31.5 | 906x728<br>35.7x28.7 | 1 | 18 | Double-Bit Lock |
| P2K1264E | 1202 x 608 x 405<br>47.32 x 23.92 x 15.94 | 1200<br>47.2 | 600<br>23.6 | 400<br>15.7 | 1106x528<br>43.5x20.8 | 1 | 23 | Double-Bit Lock |
| P2K1265E | 1202 x 608 x 505<br>47.32 x 23.92 x 19.88 | 1200<br>47.2 | 600<br>23.6 | 500<br>19.7 | 1106x528<br>43.5x20.8 | 1 | 23 | Double-Bit Lock |
| P2K1266E | 1202 x 608 x 605<br>47.32 x 23.92 x 23.82 | 1200<br>47.2 | 600<br>23.6 | 600<br>23.6 | 1106x528<br>43.5x20.8 | 1 | 23 | Double-Bit Lock |
| P2K1285E | 1202 x 808 x 505<br>47.32 x 31.80 x 19.88 | 1200<br>47.2 | 800<br>31.5 | 500<br>19.7 | 1106x728<br>43.5x28.7 | 1 | 23 | Double-Bit Lock |
| P2K1286E | 1202 x 808 x 605<br>47.32 x 31.80 x 23.82 | 1200<br>47.2 | 800<br>31.5 | 600<br>23.6 | 1106x728<br>43.5x28.7 | 1 | 23 | Double-Bit Lock |
| P2K1288E | 1202 x 808 x 805<br>47.32 x 31.80 x 31.69 | 1200<br>47.2 | 800<br>31.5 | 800<br>31.5 | 1106x728<br>43.5x28.7 | 1 | 23 | Double-Bit Lock |
| P2K1466E | 1402 x 608 x 605<br>55.20 x 23.92 x 23.82 | 1400<br>55.1 | 600<br>23.6 | 600<br>23.6 | 1306x528<br>51.4x20.8 | 1 | 28 | Double-Bit Lock |
| P2K1466HFE | 1402 x 608 x 605<br>55.20 x 23.92 x 23.82 | 1400<br>55.1 | 600<br>23.6 | 600<br>23.6 | 1306x528<br>51.4x20.8 | 1 | | EMC, Double-Bit Lock |
| P2K1485E | 1402 x 808 x 505<br>55.20 x 31.80 x 19.88 | 1400<br>55.1 | 800<br>31.5 | 500<br>19.7 | 1306x728<br>51.4x28.7 | 1 | 28 | Double-Bit Lock |
| P2K1486E | 1402 x 808 x 605<br>55.20 x 31.80 x 23.82 | 1400<br>55.1 | 800<br>31.5 | 600<br>23.6 | 1306x728<br>51.4x28.7 | 1 | 28 | Double-Bit Lock |
| P2K1488E | 1402 x 808 x 805<br>55.20 x 31.80 x 31.69 | 1400<br>55.1 | 800<br>31.5 | 800<br>31.5 | 1306x728<br>51.4x28.7 | 1 | 28 | Double-Bit Lock |
| P2KOD14125E | 1402 x 1208 x 505<br>55.20 x 47.54 x 19.88 | 1400<br>55.1 | 1200<br>47.2 | 500<br>19.7 | 1306x1128<br>51.4x44.4 | 2 | 28 | Double-Bit Lock |
| P2K1664E | 1602 x 608 x 405<br>63.07 x 23.92 x 15.94 | 1600<br>63.0 | 600<br>23.6 | 400<br>15.7 | 1506x528<br>59.3x20.8 | 1 | 33 | Double-Bit Lock |
| P2K1665E | 1602 x 608 x 505<br>63.07 x 23.92 x 19.88 | 1600<br>63.0 | 600<br>23.6 | 500<br>19.7 | 1506x528<br>59.3x20.8 | 1 | 33 | Double-Bit Lock |
| P2K1666E | 1602 x 608 x 605<br>63.07 x 23.92 x 23.82 | 1600<br>63.0 | 600<br>23.6 | 600<br>23.6 | 1506x528<br>59.3x20.8 | 1 | 33 | Double-Bit Lock |
| P2K1668E | 1602 x 608 x 805<br>63.07 x 23.92 x 31.69 | 1600<br>63.0 | 600<br>23.6 | 800<br>31.5 | 1506x528<br>59.3x20.8 | 1 | 33 | Double-Bit Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2K1684E | 1602 x 808 x 405<br>63.07 x 31.80 x 15.94 | 1600<br>63.0 | 800<br>31.5 | 400<br>15.7 | 1506x728<br>59.3x28.7 | 1 | 33 | Double-Bit Lock |
| P2K1685E | 1602 x 808 x 505<br>63.07 x 31.80 x 19.88 | 1600<br>63.0 | 800<br>31.5 | 500<br>19.7 | 1506x728<br>59.3x28.7 | 1 | 33 | Double-Bit Lock |
| P2K1686E | 1602 x 808 x 605<br>63.07 x 31.80 x 23.82 | 1600<br>63.0 | 800<br>31.5 | 600<br>23.6 | 1506x728<br>59.3x28.7 | 1 | 33 | Double-Bit Lock |
| P2K1688E | 1602 x 808 x 805<br>63.07 x 31.80 x 31.69 | 1600<br>63.0 | 800<br>31.5 | 800<br>31.5 | 1506x728<br>59.3x28.7 | 1 | 33 | Double-Bit Lock |
| P2KOD16124E | 1602 x 1208 x 405<br>63.07 x 47.54 x 15.94 | 1600<br>63.0 | 1200<br>47.2 | 400<br>15.7 | 1506x1128<br>59.3x44.4 | 2 | 33 | Double-Bit Lock |
| P2KOD16125E | 1602 x 1208 x 505<br>63.07 x 47.54 x 19.88 | 1600<br>63.0 | 1200<br>47.2 | 500<br>19.7 | 1506x1128<br>59.3x44.4 | 2 | 33 | Double-Bit Lock |
| P2KOD16126E | 1602 x 1208 x 605<br>63.07 x 47.54 x 23.82 | 1600<br>63.0 | 1200<br>47.2 | 600<br>23.6 | 1506x1128<br>59.3x44.4 | 2 | 33 | Double-Bit Lock |
| P2KOD16128E | 1602 x 1208 x 805<br>63.07 x 47.54 x 31.69 | 1600<br>63.0 | 1200<br>47.2 | 800<br>31.5 | 1506x1128<br>59.3x44.4 | 2 | 33 | Double-Bit Lock |
| P2KOD16164E | 1602 x 1608 x 405<br>63.07 x 63.29 x 15.94 | 1600<br>63.0 | 1600<br>63.0 | 400<br>15.7 | 1506x1528<br>59.3x60.2 | 2 | 33 | Double-Bit Lock |
| P2KOD16165E | 1602 x 1608 x 505<br>63.07 x 63.29 x 19.88 | 1600<br>63.0 | 1600<br>63.0 | 500<br>19.7 | 1506x1528<br>59.3x60.2 | 2 | 33 | Double-Bit Lock |
| P2KOD16166E | 1602 x 1608 x 605<br>63.07 x 63.29 x 23.82 | 1600<br>63.0 | 1600<br>63.0 | 600<br>23.6 | 1506x1528<br>59.3x60.2 | 2 | 33 | Double-Bit Lock |
| P2KOD16168E | 1602 x 1608 x 805<br>63.07 x 63.29 x 31.69 | 1600<br>63.0 | 1600<br>63.0 | 800<br>31.5 | 1506x1528<br>59.3x60.2 | 2 | 33 | Double-Bit Lock |
| P2K1845E | 1802 x 408 x 505<br>70.94 x 16.05 x 19.88 | 1800<br>70.9 | 400<br>15.7 | 500<br>19.7 | 1706x328<br>67.2x12.9 | 1 | 38 | Double-Bit Lock |
| P2K1846E | 1802 x 408 x 605<br>70.94 x 16.05 x 23.82 | 1800<br>70.9 | 400<br>15.7 | 600<br>23.6 | 1706x328<br>67.2x12.9 | 1 | 38 | Double-Bit Lock |
| P2K1864E | 1802 x 608 x 405<br>70.94 x 23.92 x 15.94 | 1800<br>70.9 | 600<br>23.6 | 400<br>15.7 | 1706x528<br>67.2x20.8 | 1 | 38 | Double-Bit Lock |
| P2K1865E | 1802 x 608 x 505<br>70.94 x 23.92 x 19.88 | 1800<br>70.9 | 600<br>23.6 | 500<br>19.7 | 1706x528<br>67.2x20.8 | 1 | 38 | Double-Bit Lock |
| P2K1866E | 1802 x 608 x 605<br>70.94 x 23.92 x 23.82 | 1800<br>70.9 | 600<br>23.6 | 600<br>23.6 | 1706x528<br>67.2x20.8 | 1 | 38 | Double-Bit Lock |
| P2K1866HFE | 1802 x 608 x 605<br>70.94 x 23.92 x 23.82 | 1800<br>70.9 | 600<br>23.6 | 600<br>23.6 | 1706x528<br>67.2x20.8 | 1 |  | EMC, Double-Bit Lock |
| P2K1884E | 1802 x 808 x 405<br>70.94 x 31.80 x 15.94 | 1800<br>70.9 | 800<br>31.5 | 400<br>15.7 | 1706x728<br>67.2x28.7 | 1 | 38 | Double-Bit Lock |
| P2K1885E | 1802 x 808 x 505<br>70.94 x 31.80 x 19.88 | 1800<br>70.9 | 800<br>31.5 | 500<br>19.7 | 1706x728<br>67.2x28.7 | 1 | 38 | Double-Bit Lock |
| P2KOD1885E | 1802 x 808 x 505<br>70.94 x 31.80 x 19.88 | 1800<br>70.9 | 800<br>31.5 | 500<br>19.7 | 1706x728<br>67.2x28.7 | 2 | 38 | Double-Bit Lock |
| P2K1886E | 1802 x 808 x 605<br>70.94 x 31.80 x 23.82 | 1800<br>70.9 | 800<br>31.5 | 600<br>23.6 | 1706x728<br>67.2x28.7 | 1 | 38 | Double-Bit Lock |
| P2KOD1886E | 1802 x 808 x 605<br>70.94 x 31.80 x 23.82 | 1800<br>70.9 | 800<br>31.5 | 600<br>23.6 | 1706x728<br>67.2x28.7 | 2 | 38 | Double-Bit Lock |
| P2K1888E | 1802 x 808 x 805<br>70.94 x 31.80 x 31.69 | 1800<br>70.9 | 800<br>31.5 | 800<br>31.5 | 1706x728<br>67.2x28.7 | 1 | 38 | Double-Bit Lock |
| P2K18104E | 1802 x 1008 x 405<br>70.94 x 39.67 x 15.94 | 1800<br>70.9 | 1000<br>39.4 | 400<br>15.7 | 1706x928<br>67.2x36.5 | 1 | 38 | Double-Bit Lock |
| P2KOD18104E | 1802 x 1008 x 405<br>70.94 x 39.67 x 15.94 | 1800<br>70.9 | 1000<br>39.4 | 400<br>15.7 | 1706x928<br>67.2x36.5 | 2 | 38 | Double-Bit Lock |
| P2K18105E | 1802 x 1008 x 505<br>70.94 x 39.67 x 19.88 | 1800<br>70.9 | 1000<br>39.4 | 500<br>19.7 | 1706x928<br>67.2x36.5 | 1 | 38 | Double-Bit Lock |
| P2KOD18105E | 1802 x 1008 x 505<br>70.94 x 39.67 x 19.88 | 1800<br>70.9 | 1000<br>39.4 | 500<br>19.7 | 1706x928<br>67.2x36.5 | 2 | 38 | Double-Bit Lock |
| P2K18106E | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 1 | 38 | Double-Bit Lock |
| P2K18106HFE | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 1 | 38 | EMC, Double-Bit Lock |
| P2KOD18106E | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 2 | 38 | Double-Bit Lock |
| P2KOD18106HFE | 1802 x 1008 x 605<br>70.94 x 39.67 x 23.82 | 1800<br>70.9 | 1000<br>39.4 | 600<br>23.6 | 1706x928<br>67.2x36.5 | 2 | 38 | EMC, Double-Bit Lock |
| P2KOD18124E | 1802 x 1208 x 405<br>70.94 x 47.54 x 15.94 | 1800<br>70.9 | 1200<br>47.2 | 400<br>15.7 | 1706x1128<br>67.2x44.4 | 2 | 38 | Double-Bit Lock |
| P2KOD18125E | 1802 x 1208 x 505<br>70.94 x 47.54 x 19.88 | 1800<br>70.9 | 1200<br>47.2 | 500<br>19.7 | 1706x1128<br>67.2x44.4 | 2 | 38 | Double-Bit Lock |
| P2KOD18126E | 1802 x 1208 x 605<br>70.94 x 47.54 x 23.82 | 1800<br>70.9 | 1200<br>47.2 | 600<br>23.6 | 1706x1128<br>67.2x44.4 | 2 | 38 | Double-Bit Lock |
| P2KOD18128E | 1802 x 1208 x 805<br>70.94 x 47.54 x 31.69 | 1800<br>70.9 | 1200<br>47.2 | 800<br>31.5 | 1706x1128<br>67.2x44.4 | 2 | 38 | Double-Bit Lock |
| P2KOD18164E | 1802 x 1608 x 405<br>70.94 x 63.29 x 15.94 | 1800<br>70.9 | 1600<br>63.0 | 400<br>15.7 | 1706x1528<br>67.2x60.2 | 2 | 38 | Double-Bit Lock |
| P2KOD18165E | 1802 x 1608 x 505<br>70.94 x 63.29 x 19.88 | 1800<br>70.9 | 1600<br>63.0 | 500<br>19.7 | 1706x1528<br>67.2x60.2 | 2 | 38 | Double-Bit Lock |
| P2KOD18166E | 1802 x 1608 x 605<br>70.94 x 63.29 x 23.82 | 1800<br>70.9 | 1600<br>63.0 | 600<br>23.6 | 1706x1528<br>67.2x60.2 | 2 | 38 | Double-Bit Lock |
| P2KOD18168E | 1802 x 1608 x 805<br>70.94 x 63.29 x 31.69 | 1800<br>70.9 | 1600<br>63.0 | 800<br>31.5 | 1706x1528<br>67.2x60.2 | 2 | 38 | Double-Bit Lock |
| P2KOD18185E | 1802 x 1808 x 505<br>70.94 x 71.17 x 19.88 | 1800<br>70.9 | 1800<br>70.9 | 500<br>19.7 | 1706x1728<br>67.2x68.0 | 2 | 38 | Double-Bit Lock |
| P2KOD18186E | 1802 x 1808 x 605<br>70.94 x 71.17 x 23.82 | 1800<br>70.9 | 1800<br>70.9 | 600<br>23.6 | 1706x1728<br>67.2x68.0 | 2 | 38 | Double-Bit Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| P2KOD18188E | 1802 x 1808 x 805<br>70.94 x 71.17 x 31.69 | 1800<br>70.9 | 1800<br>70.9 | 800<br>31.5 | 1706x1728<br>67.2x68.0 | 2 | 38 | Double-Bit Lock |
| P2K2045E | 2002 x 408 x 505<br>78.82 x 16.05 x 19.88 | 2000<br>78.7 | 400<br>15.7 | 500<br>19.7 | 1906x328<br>75x12.9 | 1 | 42 | Double-Bit Lock |
| P2K2046E | 2002 x 408 x 605<br>78.82 x 16.05 x 23.82 | 2000<br>78.7 | 400<br>15.7 | 600<br>23.6 | 1906x328<br>75x12.9 | 1 | 42 | Double-Bit Lock |
| P2K2064E | 2002 x 608 x 405<br>78.82 x 23.92 x 15.94 | 2000<br>78.7 | 600<br>23.6 | 400<br>15.7 | 1906x528<br>75x20.8 | 1 | 42 | Double-Bit Lock |
| P2K2065E | 2002 x 608 x 505<br>78.82 x 23.92 x 19.88 | 2000<br>78.7 | 600<br>23.6 | 500<br>19.7 | 1906x528<br>75x20.8 | 1 | 42 | Double-Bit Lock |
| P2K2066E | 2002 x 608 x 605<br>78.82 x 23.92 x 23.82 | 2000<br>78.7 | 600<br>23.6 | 600<br>23.8 | 1906x528<br>75x20.8 | 1 | 42 | Double-Bit Lock |
| P2K2066HFE | 2002 x 608 x 605<br>78.82 x 23.92 x 23.82 | 2000<br>78.7 | 600<br>23.6 | 600<br>23.6 | 1906x528<br>75x20.8 | 1 | 42 | EMC, Double-Bit Lock |
| P2K2084E | 2002 x 808 x 405<br>78.82 x 31.80 x 15.94 | 2000<br>78.7 | 800<br>31.5 | 400<br>15.7 | 1906x728<br>75x28.7 | 1 | 42 | Double-Bit Lock |
| P2KOD2084E | 2002 x 808 x 405<br>78.82 x 31.80 x 15.94 | 2000<br>78.7 | 800<br>31.5 | 400<br>15.7 | 1906x728<br>75x28.7 | 2 | 42 | Double-Bit Lock |
| P2K2085E | 2002 x 808 x 505<br>78.82 x 31.80 x 19.88 | 2000<br>78.7 | 800<br>31.5 | 500<br>19.7 | 1906x728<br>75x28.7 | 1 | 42 | Double-Bit Lock |
| P2KOD2085E | 2002 x 808 x 505<br>78.82 x 31.80 x 19.88 | 2000<br>78.7 | 800<br>31.5 | 500<br>19.7 | 1906x728<br>75x28.7 | 2 | 42 | Double-Bit Lock |
| P2K2086E | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 1 | 42 | Double-Bit Lock |
| P2K2086HFE | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 1 | 42 | EMC, Double-Bit Lock |
| P2KOD2086E | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 2 | 42 | Double-Bit Lock |
| P2KOD2086HFE | 2002 x 808 x 605<br>78.82 x 31.80 x 23.82 | 2000<br>78.7 | 800<br>31.5 | 600<br>23.6 | 1906x728<br>75x28.7 | 2 | 42 | EMC, Double-Bit Lock |
| P2KOD2088E | 2002 x 808 x 805<br>78.82 x 31.80 x 31.69 | 2000<br>78.7 | 800<br>31.5 | 800<br>31.5 | 1906x728<br>75x28.7 | 2 | 42 | Double-Bit Lock |
| P2KOD20810E | 2002 x 808 x 1005<br>78.82 x 31.80 x 39.57 | 2000<br>78.7 | 800<br>31.5 | 1000<br>39.4 | 1906x728<br>75x28.7 | 2 | 42 | Double-Bit Lock |
| P2K20810E | 2002 x 808 x 1005<br>78.82 x 31.80 x 39.57 | 2000<br>78.7 | 800<br>31.5 | 1000<br>39.4 | 1906x728<br>75x28.7 | 1 | 42 | Double-Bit Lock |
| P2K20105E | 2002 x 1008 x 505<br>78.82 x 39.67 x 19.88 | 2000<br>78.7 | 1000<br>39.4 | 500<br>19.7 | 1906x928<br>75x36.5 | 1 | 42 | Double-Bit Lock |
| P2KOD20105E | 2002 x 1008 x 505<br>78.82 x 39.67 x 19.88 | 2000<br>78.7 | 1000<br>39.4 | 500<br>19.7 | 1906x928<br>75x36.5 | 2 | 42 | Double-Bit Lock |
| P2K20106E | 2002 x 1008 x 605<br>78.82 x 39.67 x 23.82 | 2000<br>78.7 | 1000<br>39.4 | 600<br>23.6 | 1906x928<br>75x36.5 | 1 | 42 | Double-Bit Lock |
| P2KOD20106E | 2002 x 1008 x 605<br>78.82 x 39.67 x 23.82 | 2000<br>78.7 | 1000<br>39.4 | 600<br>23.6 | 1906x928<br>75x36.5 | 2 | 42 | Double-Bit Lock |
| P2K20108E | 2002 x 1008 x 805<br>78.82 x 39.67 x 31.69 | 2000<br>78.7 | 1000<br>39.4 | 800<br>31.5 | 1906x928<br>75x36.5 | 1 | 42 | Double-Bit Lock |
| P2KOD20108E | 2002 x 1008 x 805<br>78.82 x 39.67 x 31.69 | 2000<br>78.7 | 1000<br>39.4 | 800<br>31.5 | 1906x928<br>75x36.5 | 2 | 42 | Double-Bit Lock |
| P2KOD20124E | 2002 x 1208 x 405<br>78.82 x 47.54 x 15.94 | 2000<br>78.7 | 1200<br>47.2 | 400<br>15.7 | 1906x1128<br>75x44.4 | 2 | 42 | Double-Bit Lock |
| P2KOD20125E | 2002 x 1208 x 505<br>78.82 x 47.54 x 19.88 | 2000<br>78.7 | 1200<br>47.2 | 500<br>19.7 | 1906x1128<br>75x44.4 | 2 | 42 | Double-Bit Lock |
| P2KOD20126E | 2002 x 1208 x 605<br>78.82 x 47.54 x 23.82 | 2000<br>78.7 | 1200<br>47.2 | 600<br>23.6 | 1906x1128<br>75x44.4 | 2 | 42 | Double-Bit Lock |
| P2KOD20128E | 2002 x 1208 x 805<br>78.82 x 47.54 x 31.69 | 2000<br>78.7 | 1200<br>47.2 | 800<br>31.5 | 1906x1128<br>75x44.4 | 2 | 42 | Double-Bit Lock |
| P2KOD20165E | 2002 x 1608 x 505<br>78.82 x 63.29 x 19.88 | 2000<br>78.7 | 1600<br>63.0 | 500<br>19.7 | 1906x1528<br>75x60.2 | 2 | 42 | Double-Bit Lock |
| P2KOD20166E | 2002 x 1608 x 605<br>78.82 x 63.29 x 23.82 | 2000<br>78.7 | 1600<br>63.0 | 600<br>23.6 | 1906x1528<br>75x60.2 | 2 | 42 | Double-Bit Lock |
| P2KOD20168E | 2002 x 1608 x 805<br>78.82 x 63.29 x 31.69 | 2000<br>78.7 | 1600<br>63.0 | 800<br>31.5 | 1906x1528<br>75x60.2 | 2 | 42 | Double-Bit Lock |
| P2KOD20185E | 2002 x 1808 x 505<br>78.82 x 71.17 x 19.88 | 2000<br>78.7 | 1800<br>70.9 | 500<br>19.7 | 1906x1728<br>75x68.0 | 2 | 42 | Double-Bit Lock |
| P2KOD20186E | 2002 x 1808 x 605<br>78.82 x 71.17 x 23.82 | 2000<br>78.7 | 1800<br>70.9 | 600<br>23.6 | 1906x1728<br>75x68.0 | 2 | 42 | Double-Bit Lock |
| P2KOD20188E | 2002 x 1808 x 805<br>78.82 x 71.17 x 31.69 | 2000<br>78.7 | 1800<br>70.9 | 800<br>31.5 | 1906x1728<br>75x68.0 | 2 | 42 | Double-Bit Lock |
| P2K2265E | 2202 x 608 x 505<br>86.69 x 23.92 x 19.88 | 2200<br>86.6 | 600<br>23.6 | 500<br>19.7 | 2106x528<br>82.9x20.8 | 1 | 47 | Double-Bit Lock |
| P2K2266E | 2202 x 608 x 605<br>86.69 x 23.92 x 23.82 | 2200<br>86.6 | 600<br>23.6 | 600<br>23.6 | 2106x528<br>82.9x20.8 | 1 | 47 | Double-Bit Lock |
| P2K2266HFE | 2202 x 608 x 605<br>86.69 x 23.92 x 23.82 | 2200<br>86.6 | 600<br>23.6 | 600<br>23.6 | 2106x528<br>82.9x20.8 | 1 | 47 | EMC, Double-Bit Lock |
| P2K2285E | 2202 x 808 x 505<br>86.69 x 31.80 x 19.88 | 2200<br>86.6 | 800<br>31.5 | 500<br>19.7 | 2106x728<br>82.9x28.7 | 1 | 47 | Double-Bit Lock |
| P2KOD2285E | 2202 x 808 x 505<br>86.69 x 31.80 x 19.88 | 2200<br>86.6 | 800<br>31.5 | 500<br>19.7 | 2106x728<br>82.9x28.7 | 2 | 47 | Double-Bit Lock |
| P2K2286E | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 1 | 47 | Double-Bit Lock |
| P2K2286HFE | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 1 | 47 | EMC, Double-Bit Lock |
| P2KOD2286E | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 2 | 47 | Double-Bit Lock |

| Catalog Number | AxBxC mm/in. | H mm/in. | W mm/in. | D mm/in. | Max. Subpanel HxW mm/in. | No. of Doors | Max. Rack Mount Units | Description |
|---|---|---|---|---|---|---|---|---|
| **P2KOD2286HFE** | 2202 x 808 x 605<br>86.69 x 31.80 x 23.82 | 2200<br>86.6 | 800<br>31.5 | 600<br>23.6 | 2106x728<br>82.9x28.7 | 2 | 47 | EMC, Double-Bit Lock |
| **P2K2288E** | 2202 x 808 x 805<br>86.69 x 31.80 x 31.69 | 2200<br>86.6 | 800<br>31.5 | 800<br>31.5 | 2106x728<br>82.9x28.7 | 1 | 47 | Double-Bit Lock |
| **P2KOD2288E** | 2202 x 808 x 805<br>86.69 x 31.80 x 31.69 | 2200<br>86.6 | 800<br>31.5 | 800<br>31.5 | 2106x728<br>82.9x28.7 | 2 | 47 | Double-Bit Lock |
| **P2K22810E** | 2202 x 808 x 1005<br>86.69 x 31.80 x 39.57 | 2200<br>86.6 | 800<br>31.5 | 1000<br>39.4 | 2106x728<br>82.9x28.7 | 1 | 47 | Double-Bit Lock |
| **P2KOD22810E** | 2202 x 808 x 1005<br>86.69 x 31.80 x 39.57 | 2200<br>86.6 | 800<br>31.5 | 1000<br>39.4 | 2106x728<br>82.9x28.7 | 2 | 47 | Double-Bit Lock |
| **P2K22105E** | 2202 x 1008 x 505<br>86.69 x 39.67 x 19.88 | 2200<br>86.6 | 1000<br>39.4 | 500<br>19.7 | 2106x928<br>82.9x36.5 | 1 | 47 | Double-Bit Lock |
| **P2KOD22105E** | 2202 x 1008 x 505<br>86.69 x 39.67 x 19.88 | 2200<br>86.6 | 1000<br>39.4 | 500<br>19.7 | 2106x928<br>82.9x36.5 | 2 | 47 | Double-Bit Lock |
| **P2K22106E** | 2202 x 1008 x 605<br>86.69 x 39.67 x 23.82 | 2200<br>86.6 | 1000<br>39.4 | 600<br>23.6 | 2106x928<br>82.9x36.5 | 1 | 47 | Double-Bit Lock |
| **P2KOD22106E** | 2202 x 1008 x 605<br>86.69 x 39.67 x 23.82 | 2200<br>86.6 | 1000<br>39.4 | 600<br>23.6 | 2106x928<br>82.9x36.5 | 2 | 47 | Double-Bit Lock |
| **P2K22108E** | 2202 x 1008 x 805<br>86.69 x 39.67 x 31.69 | 2200<br>86.6 | 1000<br>39.4 | 800<br>31.5 | 2106x928<br>82.9x36.5 | 1 | 47 | Double-Bit Lock |
| **P2KOD22108E** | 2202 x 1008 x 805<br>86.69 x 39.67 x 31.69 | 2200<br>86.6 | 1000<br>39.4 | 800<br>31.5 | 2106x928<br>82.9x36.5 | 2 | 47 | Double-Bit Lock |
| **P2KOD22125E** | 2202 x 1208 x 505<br>86.69 x 47.54 x 19.88 | 2200<br>86.6 | 1200<br>47.2 | 500<br>19.7 | 2106x1128<br>82.9x44.4 | 2 | 47 | Double-Bit Lock |
| **P2KOD22126E** | 2202 x 1208 x 605<br>86.69 x 47.54 x 23.82 | 2200<br>86.6 | 1200<br>47.2 | 600<br>23.6 | 2106x1128<br>82.9x44.4 | 2 | 47 | Double-Bit Lock |
| **P2KOD22128E** | 2202 x 1208 x 805<br>86.69 x 47.54 x 31.69 | 2200<br>86.6 | 1200<br>47.2 | 800<br>31.5 | 2106x1128<br>82.9x44.4 | 2 | 47 | Double-Bit Lock |
| **P2KOD22165E** | 2202 x 1608 x 505<br>86.69 x 63.29 x 19.88 | 2200<br>86.6 | 1600<br>63.0 | 500<br>19.7 | 2106x1528<br>82.9x60.2 | 2 | 47 | Double-Bit Lock |
| **P2KOD22166E** | 2202 x 1608 x 605<br>86.69 x 63.29 x 23.82 | 2200<br>86.6 | 1600<br>63.0 | 600<br>23.6 | 2106x1528<br>82.9x60.2 | 2 | 47 | Double-Bit Lock |
| **P2KOD22168E** | 2202 x 1608 x 805<br>86.69 x 63.29 x 31.69 | 2200<br>86.6 | 1600<br>63.0 | 800<br>31.7 | 2106x1528<br>82.9x60.2 | 2 | 47 | Double-Bit Lock |
| **P2KOD22185E** | 2202 x 1808 x 505<br>86.69 x 71.17 x 19.88 | 2200<br>86.6 | 1800<br>70.9 | 500<br>19.7 | 2106x1728<br>82.9x68.0 | 2 | 47 | Double-Bit Lock |
| **P2KOD22186E** | 2202 x 1808 x 605<br>86.69 x 71.17 x 23.82 | 2200<br>86.6 | 1800<br>70.9 | 600<br>23.6 | 2106x1728<br>82.9x68.0 | 2 | 47 | Double-Bit Lock |
| **P2KOD22188E** | 2202 x 1808 x 805<br>86.69 x 71.17 x 31.69 | 2200<br>86.6 | 1800<br>70.9 | 800<br>31.5 | 2106x1728<br>82.9x68.0 | 2 | 47 | Double-Bit Lock |

HxWxD are nominal height, width and depth dimensions.




89129468

| Model | Component | Type | Height | Width | Depth | Specialty | | Catalog Number |
|---|---|---|---|---|---|---|---|---|
| P2 | K | Blank | 20 | 8 | 6 | Blank | = | P2K2086 |

**Model**
P2 = PROLINE G2

**Component**
K = Industrial Package/Kit

**Type**
Blank = single door
OD = overlapping double door
DR = disconnect right
DL = disconnect left

**Height** (mm)
22 = 2200
20 = 2000
18 = 1800
16 = 1600
14 = 1400
12 = 1200
10 = 1000
8 = 800
6 = 600


**Width** (mm)
18 = 1800
16 = 1600
12 = 1200
10 = 1000
8 = 800
6 = 600
4 = 400

**Depth** (mm)
10 = 1000
8 = 800
6 = 600
5 = 500
4 = 400

**Specialty**
Blank = left hinge/key lock
E = right hinge/double bit lock
HF = EMC components

NOTE: Not every combination is available as a standard product.

## Standard Configuration



## Component Specifications

| Component | Thickness (gauge/mm) | Material | Surface Finish | Load Rating (lb/kg) | Safety Factor***** |
|---|---|---|---|---|---|
| Frame | 12/2.5 | Roll-formed, carbon steel; fully welded corners; 25mm DIN standard | Painted**** | 3500/1587 | 1.5 |
| Mounting subpanel* | 10-12/3.0-2.5 | Carbon steel | Galvanized or Painted Options | 2000/907 | 2.5 |
| Door | 14/1.75 | Carbon steel | Painted**** | 250/113 | 1.5 |
| Covers** and Side Covers*** | 14-16/1.5-1.75 | Carbon steel | Painted**** | 300/136 | 1.5 |
| Gland Plate | 14/1.75 | Carbon steel | Galvanized or Painted Options | 200/90 | 1.5 |

Load ratings are for an enclosure size of 2000x600x800mm. Load ratings vary by enclosure size.

* Mounting subpanels 1200mm wide or greater are 10 gauge (3.0mm); subpanels less than 1200mm wide are 12 gauge (2.5mm).

** Covers 600 mm wide or greater are 14 gauge (1.75 mm); 600mm wide or less are 16 gauge (1.5 mm)

*** Side Covers greater than 800 mm deep are 14 gauge (1.75 mm); 800mm or less deep are 16gauge (1.5 mm)

**** Powder-coated color RAL 7035 textured light-gray; custom colors available

***** IEC 62208 uses a 1.25 safety factor, which would result in higher load ratings

## Industrial Package Size Matrix **Nominal Sizes**

| Height mm/in. | Width mm/in. | Depth mm/in. |
|---|---|---|
| 600 | 600, 800 | 400, 600, 800 |
| 800 | 600, 800 | 400, 600, 800 |
| 1000 | 600, 800, 1200 | 400, 500, 600, 800 |
| 1200 | 600, 800, 1200 | 400, 500, 600, 800 |
| 1400 | 600, 800, 1200 | 500, 600, 800 |
| 1600 | 600, 800, 1200 | 500, 600, 800 |
| 1800 | 600, 800, 1200, 1600 | 400, 500, 600, 800 |
| 2000 | 400, 600, 800, 1000, 1200, 1600, 1800 | 400, 500, 600, 800, 1000 |
| 2200 | 400, 600, 800, 1000, 1200, 1600, 1800 | 400, 500, 600, 800, 1000 |

Not every depth is available with each width

Custom sizes available upon request

## Door Selection Matrix

| Width mm/in. | 1-Door* | 2-Door** |
|---|---|---|
| 600 | • | |
| 800 | • | • |
| 1000 | • | • |
| 1200 or greater | | • |

* Reversible hinging

** Overlapping double door; reversible hinging

## Metal Fiber Gasket Performance Level

| MHz Range | 30 – 230 | 230 - 1000 | 1000 - 2000 |
|---|---|---|---|
| Shielding Level (dB) | 40 | 15 | 10 |

## Notes