



Reflector Flood

65BR40/FL 130V 12/1 PRO

Philips Family of Specialty Incandescents provide the perfect light for dramatic accents and display lighting as well as general lighting in a variety of applications. These flood lamps produce homogeneous beams of high intensity for general illumination.

Product data


General Information	
Base	E26 [Single Contact Medium Screw]
Operating Position	Universal [Universal]
Main Application	Flood and Ambient Lighting
Gas Filling	GAS
Life with 3 Hour Per Day Use	1.8 a
Light Technical	
Beam Angle (Nom)	55 °
Initial lumen (Nom)	565 lm
Beam Description	Flood [Flood]
Luminous Flux Lamp @ 120V	425 lm
Correlated Color Temperature (Nom)	2750 K
Operating and Electrical	
Power (Rated) (Nom)	65 W
Lamp Wattage Rated@120V	55 W
Voltage (Nom)	130 V

Mechanical and Housing	
Bulb Finish	Clear
Cap-Base Information	Aluminium [Aluminium Cap]
Filament Shape	CC6 [Straight]
Approval and Application	
Estimated Energy Cost Per Year at 120V	6.67 \$
Estimated Energy Cost Per Year	7.83 \$
Product Data	
XUCDM.COPY.Product.Title	65BR40/FL 130V 12/1 PRO
EAN/UPC - Product	046677140083
Order code	140087
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	925184436105
Net Weight (Piece)	0.001 kg

Datasheet, 2016, October 11 data subject to change

Reflector Flood

Dimensional drawing



65W E26 130V BR40 FL CL

Product

65BR40/FL 130V 12/1 PRO



© 2016 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.