

Eaton LPJ-80SPI

Catalog Number: LPJ-80SPI

Eaton Bussmann series LPJ fuse, Low-peak fuse, 80 A, Dual, Class J, With Indicator, Bolted blade end x bolted blade end, Time delay|Current-limiting, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC Vdc, Standard, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPJ fuse	LPJ-80SPI
UPC	Product Length/Depth
051712627528	1.13 in
Product Height	Product Width
4.63 in	1.13 in
Product Weight	Warranty
.29 lb	Not Applicable
Compliances	
CE Marked RoHS Compliant	



Electrical rating

Amperage Rating

80 A

Interrupt rating

100 kAIC Vdc

300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class J

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

With Indicator

Special features

Non-indicating, High in-rush current motor protection

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPJ-80SPI-INDICATING LPJ-80SP

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPJ-80SPI

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)