

Eaton JKS-25

Catalog Number: JKS-25

Eaton Bussmann series JKS fuse, LIMITRON Fast-acting fuse, Power panelboards, machinery disconnects, 25 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

General specifications

Product Name	Catalog Number
Eaton Bussmann series JKS fuse	JKS-25
UPC	Product Length/Depth
051712630252	2.25 in
Product Height	Product Width
.81 in	.81 in
Product Weight	Warranty
1.15 lb	Not Applicable
Compliances	
CE Marked RoHS Compliant	



Electrical rating

Amperage Rating

25 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-25

Technical data sheets

JKS-25~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)