

## Catalog No. 9T58K2814

Description: "1C,2kVA,240x480-120/240,100C,C&C,TB,IP"

UPC No 783173151204

Home > Transformers > Dry Type, Encapsulated Core & Coil > Control Power

ABB's General purpose encapsulated open core, and coil transformer (also known as Type IP Control Power transformers) are ideally suited for industrial and light-duty loads, HVAC applications, signal and alarm systems, industrial control panels, lighting, and circuit isolation. The optional fuse block adapter kits enable input and output flexibility. Type IP Control Power transformers are an economical alternative to high inrush/machine tool transformers.

Descriptors	
Category	Control Power
GO Schedule	TQ

Specifications		
Phase	1	
PriVoltage	240x480	
SecVoltage	120/240	
KVA	2.0 KVA	
Coil Material	CU	
TempRise	100.0 °C	
ElecShield	N	
SubType	Control Terminal Block	
Frequency	60 Hz	
FrameSize	14300	
Net Weight	34	
TempClass	180.0 °C	
AmbTemp	40.0 °C	
InsulSys	IS-12	
EnergyEfficiency	None	
KFactor	K1	
Enclosure Type	None	
Net Weight	34	
Sound	Std	
GSA Compliance	Yes	

Classifications		
UL	Yes	
cUL	Yes	
CE	No	



Created on: 03/18/2022

Dimensions	
Width	6.8 in
Depth	7.1 in
Height	5.8 in

electrification.us.abb.com Created on: 03/18/2022

 Publications

 Title
 Publication No.
 Publication Type

 Transformer Outline Drawing
 303B947AAP14300
 Drawings-Outline and Dimensional

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.

electrification.us.abb.com Created on: 03/18/2022

Catalog No. 9T58K2814 Page No.